

March 1, 2006

Mary L. Cottrell, Secretary
Department of Telecommunications and Energy
One South Station, 2nd Floor
Boston, MA 02110

RE: Boston Edison Company d/b/a/ NSTAR Electric, D.T.E. 06-15

Dear Ms. Cottrell:

Enclosed please find the Annual Service Quality Report (the "SQ Report") for Boston Edison Company d/b/a/ NSTAR Electric Company (the "Company"). The SQ Report sets forth the Company's performance results for the year ending December 31, 2005, under the service quality plan that was approved for the Company by the Department of Telecommunications and Energy on December 5, 2001.

In 2005, the Company met or exceeded all of the established performance benchmarks, and therefore, ended the year in a net offset position. NSTAR Electric looks forward to continued success in 2006.

Should you have any questions or need additional information, please do not hesitate to contact me. Any communications should also be directed to:

Cheryl M. Kimball John K. Habib Keegan Werlin LLP 265 Franklin Street Boston, MA 02110 TEL: (617) 951-1400

Thank you for your time and attention to this matter.

Sincerely,

cc:

Kerry Britland

Cerry Britand

Joseph Rogers, Assistant Attorney General

Robert Sydney, Division of Energy Resources

Robert Ruddock, Associated Industries of Massachusetts

Jerrold Oppenheim, Low Income Energy Affordability Network

Annual Service Quality Report

SECTION ONE

Year Ending December 31, 2005

DTE FORM - B



FORM B (Electric Companies)

Boston Edison Company

	Years in	Mean and	Performance in	
PENALTY PROVISIONS	Database	Benchmark	2005	Comments
		66.92%		
Telephone Answering Factor (%)	10	(+/- 11.22%)	76.36%	2004 completed 10 years of history
Emergency Answering (%)	3	NA	79.43%	Tracking emergency calls started in 2002.
				Tracking non-emergency calls started in
Non-Emergency Answering (%)	3	NA	75.64%	2002.
		88.89%		Tracking service appointments started in
Service Appointments Kept (%)	3	(+/- 2.87%)	93.17%	2002.
		91.56%		
Meter Reads (%)	9	(+/- 4.53%)	96.60%	
		1.540		
Consumer Division Cases (Cases/1000 customers)	10	(+/- 0.400)	1.522	
		\$224.29		
Bill Adjustments (\$/1000 customers)	10	(+/- \$77.49)	\$87.90	
				Exclusions based on events affecting 15%
		1.105		of service areas under historical
SAIFI	5	(+/- 0.160)	0.924	methodology.
				Exclusions based on events affecting 15%
		107.00		of service areas under historical
SAIDI	5	(+/- 23.08)	103.14	methodology.
Lost Time Accident Rate (# of acc/200,000 employee		0.92		
hours worked)	10	(+/- 0.25)	1.07	

FORM B (Electric Companies)

Boston Edison Company

	Years in	Mean and	Performance in	
ADDITIONAL REPORTING	Database	Benchmark	2005	Comments
		Union	Union	
		1693	2067	
		Management	Management	
Staffing Levels	9	681	870	
Restricted Work Day Rate (# of acc/200,000 employee				
hours worked)	10	3.14	1.77	
Property Damage > \$50K (#)	4	NA	1	
				Performance in 2005 is estimated pending
Line Loss	10	6.2%	6.4%	filing of FERC FORM 1.
			477	
Capital Expenditures (# of projects and total \$)	10	\$151,311,000	\$280,747,000	
Spare Component & Inventory Policy	NA	NA	NA	
Customer Surveys (scale 1-7):				
Random (Overall Customer Satisfaction Survey)	3	NA	80.0%	Provided by J. D. Power and Associates
Callers (Post-Transaction Survey)	3	NA		Provided by Research International
Customer Service Guarantees (#; total \$)				,
# of Payouts	3	NA	14	
\$ of Payouts	3	NA	\$389	

Annual Service Quality Plan Performance Report SECTION TWO

Year Ending December 31, 2005

Historical Performance Data



SECTION 2

Boston Edison Company Performance Review for Year Ending December 31, 2005

I. Introduction

On December 5, 2001, the Department of Telecommunications and Energy (the "Department") approved a Service Quality Plan (the "SQ Plan") for Boston Edison Company d/b/a/ NSTAR Electric ("Boston Edison," or the "Company"). In accordance with the terms of the SQ Plan, Boston Edison filed its first annual service-quality report on March 1, 2002. That filing established the benchmarks (using data through 2001) against which performance in the 2002 calendar-year period would be measured. In this section (Section 2) of the filing, the Company reviews: (1) the historical data underlying those benchmarks; (2) the performance results for 2005; and (3) the comparison of 2005 performance results to the established benchmarks. Items (2) and (3) are provided in this section at Schedule 1, at page 1. Item (1) is provided in Schedule 1, at page 2.

In <u>Section 3</u> of this filing, the Company has provided documentation for the reliability and safety requirements that are subject to the reporting requirements of the SQ Plan.

Also in Section 3, the Company has provided updated historical performance data through December 31, 2005. Based on this data, the Company has calculated the benchmarks that will be applied to evaluate 2006 performance data in next year's filing. In that regard, the Company has recalculated benchmarks for three measures for which there was less than the requisite level of data as of December 31, 2001. For these three measures, the benchmarks applied next year are calculated using data through December 31, 2005. As provided by the SQ Plan, benchmarks that were calculated using the requisite level of data as of December 31, 2001, are fixed for the period of the SQ Plan. The fixed and updated benchmarks for 2006 are set forth in Appendix 12.

Specifically Section 3 contains the following:

- Appendix 1: Customer Surveys
- Appendix 2: Customer Average Interruption Duration Index
- Appendix 3: Restricted Work Day Data
- Appendix 4: Annual Line Loss Data
- Appendix 5: Damage to Company Property In Excess of \$50,000
- Appendix 6: Excludable Major Events
- Appendix 7: Tree Pruning Policy

- Appendix 8: Capital Expenditures
- Appendix 9: Spare Component and Acquisition Inventory Policy
- Appendix 10: Poor Performing Circuits
- Appendix 11: Staffing Levels
- Appendix 12: Updated Historical Data and Calculation of Benchmarks for 2006 Performance

II. Performance Review for Year Ending December 31, 2005

A. Customer Service and Billing Performance Measures

1. <u>Telephone Service Factor</u>

For the Telephone Service Factor, the Company is required to track and report data on the percentage of telephone calls from customers that are handled within a 20-second time interval, including both emergency and non-emergency calls. Boston Edison began collecting data based on the percentage of calls answered within 20 seconds in 1995. Based on available data through 2004, the Company's benchmark for this measure is 66.92 percent. In 2005, the Company handled 76.36 percent of calls within 20 seconds, which is within one standard deviation of the benchmark.¹

Pursuant to Section 2.29 of the Company's Department-approved rate settlement in D.T.E. 05-85, NSTAR Electric and NSTAR Gas will set as of January 1, 2006, a performance benchmark of 80 percent for all telephone calls answered within 30 seconds, including all abandoned calls. See Appendix H. The deadband for this measure for each NSTAR Electric and NSTAR Gas company will be calculated by determining the standard deviation associated with the Company's 5-year historical performance for this measure and applying it to the benchmark of 80 percent of calls answered within 30 seconds.

2. <u>Service Appointments Met as Scheduled</u>

As of January 1, 2002, the Company instituted a system to compile statistics on the percentage of service appointments met by Company personnel, excluding appointments missed by the customer. A "service appointment" is defined as a mutually agreed upon arrangement for service between the customer and the Company where the arrangement specifies the date for the Company's personnel to perform a service activity that requires the presence of the customer at the time of the service. The Company began collecting data on the percentage of service appointments met that requires the presence of the customer at the time of service in 2002. Based on available data through 2004, the Company's benchmark for this measure is 88.89 percent. In 2005, the Company met

The Company's 2005 performance for this measure excludes the period of the Company's work stoppage because the Company was not operating under normal operating procedures.

93.17 percent of service appointments which generated an offset.² As shown in Appendix 12, the benchmark against which 2006 performance will be measured has increased from 88.89 percent to 89.96 percent.

3. <u>On-Cycle Meter Readings</u>

Boston Edison is required to report on the percentage of meters that are actually read by the Company in accordance with the meter-reading cycle. Based on available data through 2004, the Company's benchmark for this measure is 91.56 percent. In 2005, the Company achieved 96.60 percent of on-cycle meter reads, which generated an offset.³

Because the 2005 performance benchmark calculated for On-Cycle Meter Readings was based on less than 10 years of historical data, the Company has updated this benchmark to include 2005 performance. As shown in Appendix 12, the benchmark against which 2006 performance will be measured has increased from 91.56 percent to 92.06 percent.

B. Customer Satisfaction Performance Measures

1. Consumer Division Cases

The Company is required to measure its performance in relation to the number of customer-complaint cases filed with the Department's Consumer Division. Based on the 10 years of data provided to the Company, the performance benchmark shown on Schedule 1 is 1.540, which will remain fixed for the duration of the service-quality plan. In 2005, the number of Consumer Division cases was 1.522, which is within one standard deviation of the benchmark.

2. Billing Adjustments

The Company is required to measure its performance in relation to the amount of revenue adjustments that result from the Department's intervention in a billing dispute with a residential customer. This is based on data that is compiled and reported by the Department and then provided to the Company. Based on the 10 years of data provided to the Company, the performance benchmark shown on Schedule 1 is 224.29, which will remain fixed for the duration of the SQ Plan. In 2005, the number of Billing Adjustments was 87.90, which generated an offset for the Company.

The Company's 2005 performance for this measure excludes the period of the Company's work stoppage because the Company was not operating under normal operating procedures.

The Company's 2005 performance for this measure excludes the period of the Company's work stoppage because the Company was not operating under normal operating procedures. In addition, the performance statistics for this measure does not reflect performance during the January 2005 weather event that resulted in the issuance by the Governor of a State of Emergency.

C. Safety and Reliability Performance Measures

1. <u>System Average Interruption Duration Index ("SAIDI") and System Average Interruption Frequency ("SAIFI")</u>⁴

The SQ Plan requires the Company to track and report SAIDI/SAIFI statistics. As shown in Schedule 1, the SAIDI benchmark is 107.00 and the SAIFI benchmark is 1.105. In 2005, the Company performance statistics was 103.14 for SAIDI which is within one standard deviation of the benchmark and 0.924 for SAIFI which generated an offset. Pursuant to the Company's Department-approved rate settlement in D.T.E. 05-85, the Company's 2006 benchmark will be based on the most-recent 10 years of historical data available to the Company, as reflected in Appendix 12.

2. Lost-Work Time Accident Rate

The SQ Plan requires the Company to report on the Incidence Rate of Lost Work Time Injuries and Illness per 200,000 Employee Hours, as defined by the U.S. Department of Labor Bureau of Labor Statistics. This data is compiled and reported annually to the U.S. Department of Labor Bureau of Labor Statistics and the Company has 10 years of available data for this measure. Based on that data, the performance benchmark for this measure is 0.92. In 2005, the number of Lost Work Time Accidents was 1.07, which is within one standard deviation of the benchmark.⁵

3. <u>Poor Performing Circuits</u>

Pursuant to the Company's Department-approved rate settlement in D.T.E. 05-85, NSTAR Electric will establish a service category for 2006, with possible penalties and

- The Settlement Agreement approved by the Department in D.T.E. 05-85 (paragraph 2.27) provides for an audit of NSTAR Electric's annual reporting of SAIDI and SAIFI, the development of proxies for certain unavailable historical data for the Cambridge system and the application of updated benchmarks using 10 years of data beginning for the performance year 2006. The audit will be filed when it is finalized.
- 5 On January 1, 2002, the U.S. Department of Labor, Occupational Safety and Health Administration ("OSHA"), revised the regulations concerning the recording and reporting requirements for occupational injuries and illnesses. See 29 CFR § 1904.7. Specifically, the revised regulations require the Company to include the number of calendar days that an employee was unable to work as a result of injury, regardless of whether or not the employee was scheduled to work on those days (29 CFR § 1904.7(iv)). The Company's performance benchmark for Lost-Work Time Accident Rate, which is based on ten years of historical information, excludes weekends, holidays or other days that an employee would not normally have reported to work. Since the effective date of OSHA's revised regulations, the Company has maintained a log of occupational injuries or illnesses consistent with the new regulations. However, for purposes of the annual service-quality report (the "SQ Report"), the Company has tracked and reported its performance consistent with the prior version of the regulation so that the performance data will match the historical data composing the performance benchmark. The Department approved the Company's 2002 SQ Report using this methodology. See 2002 Service Quality Reports for Electric Distribution and Local Gas Distribution Companies, D.T.E. 03-10 through D.T.E. 03-23 (2003).

incentive payments, relating to "poor performing circuits." NSTAR Electric shall be subject to a penalty of \$100,000 for each circuit deemed to be a "poor performing circuit," as defined below, up to a maximum level of \$500,000 per year. Each year where there are no poor performing circuits under this definition, NSTAR Electric will be entitled to a \$500,000 incentive payment.

A "poor performing circuit" shall mean any distribution feeder that has sustained a circuit SAIDI value for a reporting year that is among the highest (worst) 5 percent of NSTAR Electric's feeders for any three consecutive reporting years; provided that, subject to Department approval, NSTAR Electric may replace a circuit(s) so designated as "poor performing" with another under-performing circuit(s) where circuit performance on the replaced circuit is driven by factors outside of NSTAR Electric's control (e.g., weather or municipal prohibitions on tree trimming) or the small number of customers served by the circuit justifies the replacement by a circuit serving a larger number of customers and provided further that the amount of the incentive payment to which NSTAR Electric would otherwise be entitled shall be reduced by \$100,000 for each such replacement.

NSTAR Electric will present information on Poor Performing Circuits as defined in Section 2.28 of the Settlement in its 2006 ASQRs, to be filed on March 1, 2007.

Schedule 1 Page 1 of 2

BOSTON EDISON COMPANY SERVICE QUALITY STANDARDS

	Required	No. of			Penalty /			Resu	lts - 2005	
Measures Customer Service and Billing	Years <u>History</u>	Years <u>Used</u>	Historical Average(1)	Std Dev	Offset Weight	Max (3) Amount	Observ.	Variance	No. of Std Devs	Penalty / (Offset)
% Calls Answered (2)	10	10	66.92%	11.22%	12.5% \$	1,553,731	76.36%	9.44%	0.8414	0
% Services Appointments Met	10	3	88.89%	2.87%	12.5%	1,553,731	93.17%	4.28%	1.4913	(863,865)
% On-Cycle Meter Reads	10	9	91.56%	4.53%	10.0%	1,242,984	96.60%	5.04%	1.1126	(384,666)
Safety and Reliability										
Lost Work Day Accidents	10	10	0.92	0.25	10.0%	1,242,984	1.07	0.15	0.6000	0
SAIDI - 5 yrs (4)	5	5	107.00	23.08	22.5%	2,796,715	103.14	-3.86	-0.1672	0
SAIFI - 5 yrs (4)	5	5	1.105	0.160	22.5%	2,796,715	0.924	-0.181	-1.1313	(894,837)
Consumer Division Statistics										
Consumer Division Cases	10	10	1.540	0.400	5.0%	621,492	1.522	-0.018	-0.0450	0
Billing Adjustments	10	10	224.29	77.49	5.0%	621,492	87.90	-136.39	-1.7601	(481,338)
Total					100.0% \$	12,429,844			\$	(2,624,706)

- (1) Reflects DTE measures, benchmark method and penalty/incentive mechanism.
- (2) Telephone statistic based on Calls Handled within 20 Seconds; includes abandoned calls.
- (3) Max penalty is incurred at 2 sd from average
- (4) Exclusions based on events affecting 15% of service areas under historical methodology.
 (5) Two percent of total T&D revenue in 2005 (estimate based on 2005 budget). Less: Service Guarantee Payout Maximum Penalty / (Offset)

12,430,233.06 Updated 1/11/06 389 Updated 1/12/06

\$12,429,844

Schedule 1 Form A & B 2005 ASQR Performance (FINAL).xls 3/1/2006

BOSTON EDISON COMPANY

						H	listory (1)												
Measures	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	Sample	Average	Std Dev
Customer Canine and Billing																			
Customer Service and Billing																			
% Calls Answered (2)	74.76%	76.72%	76.04%	57.11%	56.68%	69.20%	72.74%	79.98%	46.16%	59.78%							10	66.92%	11.22%
% Services Appointments Met	92.01%	86.36%	88.30%														3	88.89%	2.87%
% On-Cycle Meter Reads	96.53%	93.91%	92.92%	83.49%	94.81%	94.73%	92.46%	90.23%	84.92%								9	91.56%	4.53%
Safety and Reliability																			
Lost Work Day Accidents	0.71	1.02	0.94	0.76	0.96	0.73	0.50	0.77	0.98	1.37	1.10	0.87	1.16				10	0.92	0.25
SAIDI - 5 yrs	65.38	67.44	83.38	146.77	100.33	101.21	86.31	100.4	0.00	1.07	1.10	0.01	1.10				-	107.00	23.08
																	5		
SAIFI - 5 yrs	1.01	0.961	1.117	1.330	1.171	1.060	0.896	1.070									5	1.105	0.160
Consumer Division Statistics																			
Consumer Division Cases	1.383	1.211	1.786	2.292	0.996	1.087	1.097	1.776	1.523	1.478	1.608	1.742	1.803				10	1.540	0.400
Billing Adjustments	49.69	125.8	198.80	114.75	123.80	206.88	266.33	255.71	169.44	342.21	304.48	282.04	177.26				10	224.29	77.49
Dilling Adjustments	49.69	125.0	130.00	114.75	123.00	200.00	200.33	200.71	109.44	342.21	304.40	202.04	111.20				10	224.29	77.49

Notes

Schedule 1 Form A & B 2005 ASQR Performance (FINAL).xls 3/1/2006

^{(1) 12} Month period January to December.
(2) Telephone statistic based on Calls Handled within 20 Seconds; includes abandoned calls.

Annual Service Quality Report SECTION THREE

Year Ending December 31, 2005

Back-up Data and Supporting Schedules



SECTION 3

I. Non-Penalty Related Service Quality Information

Section VIII of the SQ Plan sets forth a number of non-penalty related reporting requirements for the Company's annual service-quality filings. These reports are as follows:

Appendix 1: Customer Surveys

Pursuant to section III.C of the SQ Plan, Boston Edison conducted an annual survey of (1) overall customer satisfaction as indicated by a statistically representative sample of residential customers, and (2) post-transaction customer satisfaction as indicated by a sample of randomly selected customers who have contacted the Company's customer-service department during the year. The customer satisfaction survey was conducted by J. D. Power and Associates using a combination of their annual syndicated study in June combined with a fall tracker study completed in November of 2005. The post-transaction customer satisfaction study was conducted by Research International, both of which are independent research firms with significant experience in conducting customer satisfaction surveys. The results of these surveys are presented in Appendix 1.

Appendix 2: Customer Average Interruption Duration Index ("CAIDI")

The CAIDI performance statistics for the ten most recent years ending December 31, 2005 are provided in Appendix 2. Historically, the Company's CAIDI performance statistics have been calculated on the same basis as SAIDI and SAIFI. As a result, the CAIDI performance statistics for Boston Edison are based on a calculation that excludes major events that occur on a service-area basis (rather than a company-wide basis), as discussed in Section 2 in relation to the SAIDI/SAIFI benchmarks.¹

In addition, it should be noted that, under the provisions of the SQ Plan, when customers lose power as a result of the process of restoring, the duration of these additional outages is included in SAIDI, but the additional number of interruptions is excluded from the calculation of SAIFI. See, Section V(I). Further, under Section I(B), CAIDI is calculated as SAIDI divided by SAIFI. A consequence of this construction is that, in calculating CAIDI, the numerator and the denominator are not representing the same outages, i.e., there are outages that are included in the numerator, but not in the

For informational purposes, the Company has recalculated the CAIDI performance statistics since 2000 using the new definition of "operating area," which includes the major events that are excluded from the SAIDI/SAIFI historical statistics set forth in Schedule 1. This calculation is as follows:

Performance Measure
 2000
 2001
 2002
 2003
 2004
 2005

 CAIDI
 87.60
 105.10
 75.10
 70.17
 69.58
 115.39

denominator. To be consistent with industry practice, the numerator and the denominator of the CAIDI calculation should represent the same outages.²

Appendix 3: Restricted Work Day Rate

The Restricted Work Day Rate is the Incidence Rate of Restricted Work Cases Per 200,000 Employee Hours, as defined by the U.S. Department of Labor, Bureau of Labor Statistics. This information is provided for the most recent ten years in Appendix 3.

Appendix 4: Electric Distribution Line Loss

Pursuant to section VIII.A of the SQ Plan, the Company is required to report electric distribution line loss on an annual basis. For 2005, this information is provided in Appendix 4. The annual line loss value for electric companies is the net result of reconciling the total sources of power to the amount of electricity supplied to customers, plus company use. The derivation of the calculation is set forth on page 401a of the Company's annual FERC Form 1.

Appendix 5: Damage to Company Property In Excess of \$50,000

Pursuant to section VIII.A of the SQ Plan, the Company is required to provide an annual report of property-damage incidents involving property damage to Companyowned facilities exceeding \$50,000 per incident. For 2005, this information is provided in Appendix 5.

Appendix 6: Excludable Major Events

Pursuant to section VIII.D of the SQ Plan, Boston Edison is required to identify and report on an annual basis the outages that are considered Excludable Major Events in the calculation of SAIDI/SAIFI statistics. For 2005, this information is provided for Boston Edison in Appendix 6.

Appendix 7: Tree Pruning Policy

The Company's Tree-Pruning Policy is provided as Appendix 7.

Appendix 8: Capital Expenditures

The Company's data on capital expenditures for the ten most recent years (1996 through 2005) is provided in Appendix 8.

Appendix 9: Spare Component and Acquisition Inventory Policy

The Company's CAIDI statistic for 2005 would be 92.69 with the outages associated with power restoration excluded from SAIDI.

Pursuant to section VIII.F of the SQ Plan, Boston Edison is required to report on an annual basis its policy for identifying, acquiring, and stocking critical spare components for its distribution and transmission system. The Spare Component and Acquisition Inventory Policy is provided as Appendix 9.

Appendix 10: Poor Performing Circuits

Pursuant to section VIII.G of the SQ Plan, Boston Edison is required to identify and report on an annual basis its poor performing circuits. For 2005, the Company's information is provided as Appendix 10. Poor performing circuits are any distribution feeder that:

- (a) has sustained a circuit SAIDI or SAIFI value for a reporting year that is among the highest (worst) ten percent of that utility's feeders for any two consecutive reporting years; or
- (b) has sustained a circuit SAIDI or SAIFI value for a reporting year that is more than 300 percent greater than the system average of all feeders in any two consecutive reporting years.

Appendix 11: Staffing Levels

Staffing level information for the Company is provided in Appendix 11.

Appendix 12: Performance Benchmarks for 2006

In Appendix 12, the Company has updated historical data to include 2005 performance data in the calculation of benchmarks for the 2006 reporting period, where the benchmarks were not fixed for the duration of the SQ Plan.

II. Customer Service Guarantees

Pursuant to section XI of the SQ Plan, Boston Edison is required to provide information as to the customer payments credited as a result of the customer-service guarantee program during the service-measurement period. As indicated in the SQ Plan, Boston Edison credits the customer's account by \$25.00 if a meter reading is inaccurate, if the Company knowingly fails to inform a customer that it will be more than 30 minutes late for a service appointment, if there is an error in the direct payment or pay-by-phone billing systems, if the Company fails to inform a customer of a scheduled service interruption, or if the Company does not respond to a billing question by the next business day. In addition, if a new residential service line is not connected by the agreed date (after all permits are received), the first month's bill is free (minimum \$25, maximum \$100). In 2005, Boston Edison remitted to customers a total of \$389.00 under its Customer-Service Guarantee program.

III. Conclusion

As set forth above, this filing establishes the performance benchmarks for servicequality measures subject to the penalty mechanism based on historical data available through December 31, 2005. On March 1, 2007, Boston Edison will make its annual filing, which will compare the Company's performance in 2006 to the benchmarks established in this filing. The Company's March 2007 filing will also include documentation to satisfy all other reporting requirements set forth in the approved SQ Plan.

Customer Surveys

Year Ending December 31, 2005





J.D. POWER

МЕМО

TO: NSTAR

FROM: J.D. Power and Associates

DATE: February 24, 2006

RE: Residential customer satisfaction metrics (former BECo service area)

The following results are from a representative sample of 710 NSTAR residential customers. Of the 710 surveys, 510 were with NSTAR Electric residential customers (285 in the former Boston Edison Company service area and 225 in the former COMM/Electric service area).

Respondents were asked to rate their satisfaction with the service they are receiving from NSTAR Electric using a 7-point scale, where "7" means "very satisfied." "Don't Know" responses are excluded from the analysis.

• Eight in ten (80%) or 226 of 283 NSTAR Electric customers living in the former Boston Edison service area positively rate their overall satisfaction with NSTAR (5 or higher on 7-point scale).

The raw number in terms of actual customer responses using the 7-point scale in 2005 are as follows:

Response codes	1	2	3	4	5	6	7	DK
Count	6	8	11	32	75	70	81	2

The associated margin of error for the sample of 285 surveys is \pm /- 5 % at a 95% confidence level.

Jeffrey C. Conklin Senior Director J.D. Power and Associates

RESEARCH INTERNATIONAL



MEMO

TO NSTAR

FROM Research International

DATE January 13, 2006

RE: Post-transaction residential customer satisfaction metrics (former BECO service area)

The following results are from a representative sample of 900 NSTAR residential customers who recently contacted NSTAR for service. Of the 900 surveys, 721 were with NSTAR Electric residential customers (457 in the former Boston Edison service area, and 264 in the former COM/Electric service area) and 179 with NSTAR Gas residential customers.

Respondents were asked to think about the most recent time they called NSTAR and to evaluate their overall satisfaction with the service they received from the customer service department of NSTAR using a 7-point scale, where a rating of "7" means "very satisfied." "Don't know" responses are excluded from the analysis.

• Eight in ten (80.2%), or 353 of 440 NSTAR Electric customers living in the former Boston Edison service area rate positively their overall satisfaction with NSTAR's customer service (5 or higher on 7-point scale).

The raw numbers in terms of actual customer responses to the 7-point scale in 2005 are as follows:

Response codes	"1"	"2"	"3"	"4"	"5"	"6"	"7"	"DK"
Responses	29	17	20	21	46	73	234	17

The associated margin of error for the overall sample of 457 surveys is +/-4.6 percentage points at the midpoint of the 95% confidence level.

Alissa Algarin Research Executive Research International/Stamford 203-251-0262 1010 Washington Blvd. Stamford, CT 06901

Customer Average Interruption Duration Index

CAIDI

Year Ending December 31, 2005



Boston Edison Company SQ Plan Historical Data

<u>Year</u>	<u>SAIFI</u>	<u>CAIDI</u>	SAIDI
1996	1.070	111.58	119.40
1997	1.070	93.80	100.40
1998	0.896	96.38	86.31
1999	1.060	95.50	101.21
2000	1.171	85.66	100.33
2001	1.330	110.39	146.77
2002	1.117	74.66	83.38
2003	0.961	70.17	67.44
2004	1.010	64.76	65.38
2005	0.924	111.67	103.14

Excludes outages affecting greater than 15% of service area.

Restricted Work Day Data

Year Ending December 31, 2005



Injury Statistics

Restricted Duty Cases

Boston Edison Company

	Hrs. Wkd.	# of Cases	Rate
1996	5,490,958	131	4.77
1997	9,212,802	107	2.32
1998	4,825,143	85	3.52
1999	4,902,764	91	3.71
2000	3,947,311	65	3.29
2001	4,224,811	84	3.98
2002	4,849,182	69	2.83
2003	4,586,340	62	2.71
2004	4,408,427	54	2.45
2005	4,285,635	38	1.77
		Mean	3.14

Incident Rate = Number of Cases x 200,000/Hours Worked

Annual Line Loss Data

Year Ending December 31, 2005



Annual Line Loss Data Boston Edison Company								
1996	5.7%							
1997	5.7%							
1998	5.7%							
1999	6.6%							
2000	6.3%							
2001	7.0%							
2002	6.8%							
2003	6.4%							
2004	5.3%							
2005**	6.4%							

 $[\]ast\ast$ Subject to finalization of FERC FORM1 1 and DTE Annual Report for year-end 2005.

Damage to Company Property

Year Ending December 31, 2005



Damage to Company Property in Excess of \$50,000

- 1 Incident
 - 1. Hit by Auto: Beacon Street, Newton Center

Excludable Major Events

Year Ending December 31, 2005



2005 Major Outage Events

Boston Edison Company									
Service Area	Event / Date	Customers Affected	Customers without service at periodic intervals	Longest Customer Interruption	Crews used to restore service				
Boston Edison Company	State of Emergency January 22-26	29,890	<=2 hours - 22,746 <=3 hours - 6.579 <=4 hours - 263 <=5 hours - 145 <=6 hours - 12 <=7 hours - 20 <=9 hours - 1 <=12 hours - 41 <=24 hours - 83	23.7hours	58 crews (1/22) 113 crews (1/23) 140 crews (1/24) 134 crews (1/25) 77 crews (1/26)				
Walpole	Lightning August 5-6	13,716	<=2 hours - 2,476 <=3 hours - 514 <=4 hours - 2,077 <=5 hours - 1 <=6 hours - 1,790 <=7 hours - 963 <=8 hours - 1,106 <=9 hours - 358 <=12 hours - 3,650 <=14 hours - 59 <=17 hours - 722	16.5 hours	42 crews (8/5) 23 crews (8/6)				
Walpole	Wind September 29-30	9,582	<=2 hours - 8,996 <=3 hours - 36 <=4 hours - 70 <=5 hours - 356 <=6 hours - 48 <=7 hours - 963 <=8 hours - 17 <=9 hours - 47 <=11 hours - 12	10.8 hours	24 crews (9/29) 15 crews (9/30)				
Waltham	Wind September 29-30	20,294	<=2 hours - 16,012 <=3 hours - 2,612 <=4 hours - 256 <=5 hours - 39 <=6 hours - 1,123 <=7 hours - 43 <=8 hours - 47 <=9 hours - 26 <=12 hours - 56 <=14 hours - 72 <=16 hours - 2 <=18 hours - 5 <=21 hours - 1	20.2 hours	51 crews (9/29) 29 crews (9/30)				

2005 Major Outage Events

Boston Ediso	n Company				
Service Area	Event / Date	Customers Affected	Customers without service at periodic intervals	Longest Customer Interruption	Crews used to restore service
Framingham	Station 433 October 5	13,978	<1 hours – 13,978	49 minutes	5 crews
Boston Edison Company	State of Emergency October 15-16	13,516	<=2 hours - 9,350 <=3 hours - 1,450 <=4 hours - 2,586 <=5 hours - 45 <=6 hours - 113 <=7 hours - 9 <=8 hours - 1 <=16 hours - 7	15.9 hours	19 crews (10/15) 18 crews (10/16)
Walpole	Wind October 25-26	14,094	<=2 hours - 5,160 <=3 hours - 2,058 <=4 hours - 728 <=5 hours - 308 <=6 hours - 3,594 <=7 hours - 5 <=8 hours - 306 <=9 hours - 2 <=12 hours - 1,570 <=14 hours - 362 <=16 hours - 1	15.5 hours	24 crews (10/25) 19 crews (10/26)

Tree Pruning Policy

Year Ending December 31, 2005



NSTAR DISTRIBUTION TREE PRUNING POLICY

General

The Distribution Pruning Policy is intended to provide pruning contractors with guidelines for performing work acceptable to the NSTAR Company, including proper pruning techniques, work progress reporting and time reporting.

The Policy also documents general management procedures for dealing with the various aspects of Pruning Program Control.

The Policy pertains to both maintenance pruning, which is done on an ongoing cyclic basis of approximately three to six years and to "new work" pruning.

Note: Company representative or delegate as referred to in this policy shall be understood to mean those individuals normally assigned to monitor tree crew activities in a given district or area within a district.

Guidelines For Tree Pruning And Removal

- Provisions of the latest revisions to ANSI A-300 American National Standard for Tree Care Operations Tree Shrub and Other Woody Plant Maintenance Standard Practices shall be followed.
- 2 The desired amount of clearance necessary for conductors and electrical equipment should be such that high winds, rain, heavy snow, ice or a combination of any of them will not cause limbs or trees to come in contact with wires or other equipment. Effort should be made to remove any dead trees or limbs that in the event of their falling could contact conductors.
 - a Clearance Guidelines Refer to Exhibit 1.
 - **b** Road Screens Where existing, shall be reduced depending on the ground clearance of the conductors above, using the drop crotch or "Natural Pruning" technique as shown in Exhibit 1.
- 3 Generally Accepted Scientific Arboricultural Principles as Applied to line Clearance Work For safe and healthy trees, the following recommendations are suggested:
 - **a** Branches growing into a conductor should be removed by cutting back at a lateral or main side branch, rather than stub cutting. ("Natural Pruning")
 - All cuts shall be properly made, using undercutting to avoid damage by loosening or stripping of bark; the so-called "Branch Bark Collar" shall be left intact but no stubs shall remain. Cuts shall be smooth to allow for callus tissue to form and to retard decay. Properly made saw cuts at the laterals, where the lateral is at least one third (1/3) the size of the branch or leader removed, reduce the number and vigor of re-growth sprouts through the trees natural growth mechanisms. ("Natural Pruning").

- c In general, tree paint is not required. In specific instances state or municipal authorities may require tree paint. In such instances growth retardant paint should be used. Asphalt based tree paints shall not be used as they promote growth of certain rot fungi.
- d Remove raised sucker clusters at parent limb and remove undesirable limbs that have been stubbed off and have formed accumulated sucker clusters.
- e Directional prune so that growth will be away from wires.
- Lighten overhanging (within 10' of trimmed zone) or adjacent leaders and branches and shorten evergreens overhanging conductors to prevent limbs touching or breaking off and falling on lines in severe storms.
- **g** Remove leaders and limbs that are a hazard to lines due to death, decay, weak configuration and split or weak crotches.
- **h** Only appropriate tree tools in good working condition shall be used.
- i Climbing irons shall not be used in any tree unless the tree is to be removed.
- i All severed limbs and branches (hangers) shall be removed from trees after pruning.
- **k** Guidelines for tree removal.
 - Unless previous arrangement has been made with the Company Representative, trees that are a hazard to the lines shall be removed; i.e. any tree which by the nature of its health, size or condition endangers the line.
 - ii Defective or diseased trees shall be removed whenever possible.
 - iii Fast growing and weed trees shall be removed as undesirable species, whenever possible.
 - iv Trees shall be felled away from conductors.
 - In areas where damage might be caused to conductors or property, trees shall be stripped of all limbs with the trunk removed in sections, as necessary.
 - All brush shall be removed daily from public thoroughfares and other improved places unless otherwise arranged with the Company Representative.
 - All stumps shall be cut flush and parallel to the ground. Tree stumps shall not exceed a maximum height of three (3) inches. All brush shall be cut flush and parallel to the ground.
 - wiii Wood and brush (cribbing) shall be used as a cushion to protect from potential damage due to felling trees or heavy limb sections. The probability of a bouncing effect is normally increased when using cribbing and should be allowed for.
- All vines shall be cleared from conductors to minimum clearance standard. Additionally vines shall be severed at base to a distance of 10' on structures to insure growth dies.
- Prioritization of Pruning Distribution pruning should be performed on a circuit basis whenever possible. Always start pruning from the substation out, as this area is of greatest importance due to the large number of customers affected by outages caused in this area.
- 5 Three-phase lines should have greater clearance and attention than single-phase spur lines. Pruning is performed to protect the largest number of customers from an interruption. Three-phase interruptions will affect more customers.

6 Safety – Good Relations – Clean-up

- a The contractor will take all safety and protective precautions and with respect thereto will strictly enforce all applicable regulations of Municipal, State and Federal Laws, the various insurers and the Company. These shall include OSHA and ANSI Z133.1.
- A neat appearance, pleasant approach and a clear explanation as to what you mean or want when contacting people. In any instance where there is a misunderstanding or a possible cause for trouble with a customer or municipal official, notify the Company Representative, so that proper action can be taken. When a property owner or municipal official absolutely will not allow proper pruning refer the situation to the Company Representative in writing. If pruning in a given area is under dispute move to another area.
 - Utility Company Relations Tree crew to contact the Company every day and report work location; details of who to report to, when and where will be specified by the local Company Representative.
 - Outage Whenever there is a question of a possible accidental outage of power caused by a tree crew, the Company is to be notified immediately.
 - Municipal Regulations Notify the proper municipal official (Tree Warden, etc.) as required and let them know what location you are working in. Get permission to do tree work on municipal trees from the proper authority before doing the work.
 - State Regulations When doing tree work on a State Highway have a copy of the State Tree Pruning Permit with Permit Number. All tree work on State Highways must be approved and supervised by the proper State Official. State regulations on barricades and warning signs must be observed.

Dispose of all debris properly and leave the work area in a neat and clean condition. Unless otherwise specified, wood shall be left for property owner. All trucks will have leaf blowers to clear roadway areas.

Contractor Responsibility

"The relationship of the Company and the Contractor is acknowledged to be that of owner and independent contractor. The means and methods employed for performing the details of pruning shall be the responsibility of the Contractor, subject to the suggestions and approvals of the Company's designated representative."

1 Compliance with Laws and Regulations – The Contractor shall comply with all applicable laws and regulations and all work and materials are to comply in every respect with all applicable codes, laws and regulations. All necessary permits, licenses, etc., for the Work unless obtained by the Company

- are to be obtained and paid for by the Contractor, the Company to reimburse the Contractor for the cost thereof unless the Work is being done on a fixed fee basis.
- Instructions to Contractor Pruning work includes the furnishing of all supervision, labor, equipment, tools and services necessary to trim trees in designated areas and in a manner acceptable to local or state authorities and Company Representative, per the Pruning Contract/Purchase Order. The Contractor will report daily in writing to the Company Representative any damaged Company equipment (insulators, crossarms, etc.) encountered in the course of his work.
- 3 All crews are required to attend a yearly review of NSTAR Pruning Policy at the expense of the contractor

Other Related Items

- 1 Privately Owned Facilities The Company in general will not authorize pruning of privately owned facilities.
- 2 Contractor List Owners of private electrical facilities may occasionally ask for recommendations concerning private contractors for line maintenance or pruning work. The Company position is not to make recommendation of any specific contractor for reasons of liability.
- Refusal to Allow Pruning When the pruning contractor reports a refusal to allow pruning, the Company Representative shall contact the involved party in an effort to secure the proper pruning. If no agreement can be reached the refusing party shall be contacted via registered mail (Return Receipt Requested)
 - The letter will relate our reasons for pruning i.e. protection of our facilities, reliability of service, protection of the public (tree climbers) and serve as documentation of our attempt to secure adequate pruning. Hopefully this letter will prompt some to reconsider their refusal. If not, we will have documentation of our intent and attempt to secure adequate pruning.
- Documentation of Tree Removal When, due to diseased or dead state, ornamental or large shade trees are by necessity removed, documentation in the form of detailed notes and/or photographs should be kept. This documentation may be valuable in the event a customer later brings a claim against the Company for the value of a tree claiming "wrongful removal".

Methods of Pruning

There are many methods of pruning trees for line clearance, but not all methods are attractive or advantageous to the tree, nor are all methods effective for long-term line clearance. The basic pruning methods are pollarding, sharing or rounding over and natural pruning (Fig. 3).




Figure 3. Basic Trimming Methods

Stubbing off major limbs by pollarding is not a desirable pruning practice.

The result is not only unsightly, but multitudes of fast-growing suckers sprout from the stubs and soon result in line clearance problems more serious than before. The stubs are also likely to fall victim to decay or disease. Finally, this method of pruning attracts unfavorable public attention.

Shearing or Rounding Over consists of making many small cuts so that the treetop is sheared in a uniform line. This results in rapid re-growth of many small sprouts, called suckers, directly toward the conductors. Because of this rapid re-growth of suckers, trees trimmed by the rounding over method need to be re-trimmed sooner than trees trimmed by the natural pruning period.

Natural Pruning is the method recommended by most professionals. Natural pruning is cutting branches flush at a suitable parent limb, back toward the center of the tree. This method of pruning is sometimes called "drop crutching" or "lateral pruning". An attempt is made to remove large branches to laterals at least one-third the diameter of the branch being removed. All cuts should be flush to avoid leaving stubs. Natural pruning is especially adapted to the topping of large trees where a great deal of wood must be removed. In natural pruning, most cuts are made on larger limbs with a saw, and little pole prune work is required. The results are natural-looking trees, even if large amounts of wood have been removed. Natural pruning is also directional pruning, since it tends to guide the growth of the tree away from the wires (Figure 4). Stubbing, on the other hand, tends to promote rapid sucker growth right back into the conductors.

It should be emphasized that natural clearance is highly effective in reducing future costs, and that two or three natural pruning cycles will produce an ideal situation for both the utility and the tree owner. Most shade trees lend themselves easily to this type of pruning. Elm, Norway Maple, Red Oak, Red Maple, Sugar Maple, Silver Maple and European Linden, the most common street trees, react especially well to natural pruning methods.

Crown Reduction is cutting back portions of the upper crown of a tree. Reducing is indicated when a tree is located directly beneath a line. The main leader of leaders are cut back to a lateral, which should be at least one-third the diameter of the limb being removed. Most cuts should be made with a saw. A pole pruner is used only to cut lateral branches. To minimize regrowth, no more than one-fourth of the crown should be removed when topping (Figure 5).

Side Pruning is cutting back or removing side branches that threaten the conductors. Side pruning is required where trees are growing adjacent to utility lines. Limbs should be removed at a lateral branch. Notches in tree crowns should be avoided, if possible. Shortening branches above and below the indented area, or balancing the opposite side if the crown, will usually improve the appearance of the tree. When pruning, all dead branches over the wires must be removed, since this dead wood could easily break off and cause an interruption in service. (Figure 5)




Figure 4. Natural Trimming (to direct growth away from wires)

Side Trimming is cutting back or removing side branches that threaten the conductors. Side trimming is required where trees are growing adjacent to utility lines. Limbs should be removed at a lateral branch. Notches in tree crowns should be avoided, if possible. Shortening branches above and below the indented area, or balancing the opposite side of the crown, will usually improve the appearance of the tree. When trimming, all dead branches over the wires must be removed, since this dead wood could easily break off and cause an interruption in service (Figure 5).

Overhang Or Under Pruning consists of removing limbs beneath the tree crown to allow wires to pass below the tree crown. This type of pruning will allow the tree to retain its natural shape and continue its normal growth. Overhangs are hazards when lines pass beneath a tree and should be removed according to the species of the tree, location and the general policy of the utility. When pruning, all dead branches above the wires are removed, since this dead wood could easily break off and cause an interruption. Many utilities have a set removal program for trees that overhang important lines (Figure 5).

Through Pruning is the removal of branches within the crown to allow lines to pass through the tree. It is best suited for secondaries, streetlight circuits, and cables, although it is often used on primary circuits where there is no other way of pruning the tree. Cuts should be made at crotches to encourage growth away from the lines (Figure 5).

Combinations - It is often necessary to combine several types of pruning in order to maintain acceptable tree appearance and provide adequate clearances.





Figure 5. Four types of natural trimming.

ANSI A300 " <u>American Standard for Tree Care Operations – Tree, Shrub and Other Woody Plant Maintenance – Standard Practices"</u>, presents performance standards for the care and maintenance of trees and should be considered a part of this appendix and adhered to in tree operations under this policy.


Techniques

Proper clearance for any type of overhead line is measured not only in feet of clearance but in effectiveness. Both tree and overhead line characteristics must be known to get the maximum effective clearance for each tree. Clearance not only must be adequate when the tree is trimmed but must last. Therefore, each tree should be trimmed so it will need less work at the next trim cycle.

Before tree trimmers begin work, they plan how they are going to trim each tree. Consideration is given to how and when a tree is going to re-grow after it is trimmed. Trees can usually be placed into one of four tree-form types: upright, spreading, horizontal or columnar (Figure 6). If possible, the natural form of the tree should be maintained so that it does not look heavily trimmed.



All line clearance tree pruning should be done in accordance with the American National Standard Safety Requirements for Pruning, Repairing, Maintaining and Removing Trees, and for Cutting Brush" (ANSI Z133.1). The ANSI Z133 standard provides safety criteria for line clearance tree trimmers and the public. Minimum working distances from energized conductors are listed and must always be observed.



Note: Our objective is to obtain trim clearances as indicated. However, extenuating circumstances may dictate that lesser clearnaces be accepted.

CLEARANCE	TYPE OF TRIMMING	MINIMUM CLEARANCE FOR 25 kV OR BELOW *
"A"		8 Feet
"B"	Side Trimming	8 Feet
"C"	Under Trimming (Remove overhang situations where possible)	12 Feet **

- * Services should be trimmed only to avoid contact.
- Thin, lighten, or shorten limbs above this point on pines to prevent snow loading.

Secondary electric lines shall be cleared for a minimum clearance of three feet.

Boston Edison Company

Capital Expenditures

Year Ending December 31, 2005



Appendix 8

			(Donais in	i ilousalius)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Distribution												
00200	Retire Station 360	D	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 54	\$ 457		\$ - \$	-
00202	Retire Primary Network Unit 9 Roxbury	D	-	-	-	-	-	747	277	(2)	2	3
00214	Relieve the Newton line	D	-	-	-	-	-	293	197	-	-	-
00220	Field Support - External Activities	D	-	-	-	-	1	-	=	-	-	=
00223	Substation Data Collection System	D	-	-	-	-	91	-	-	-	-	-
00301	Bovis Construction Avery/Wash St, Boston	D	-	-	-	-	252	175	9	-	-	-
00302	Panametric Tech Kendrick St Needham	D	-	-	-	-	108	106	1	-	-	-
00303	Northeastern University, Davenport St Commons	D	-	-	-	-	195	18	-	-	-	-
00304	GTE - 100 Metro North, Woburn	D	-	-	-	-	-	304	16	-	-	-
00305	Tech Commons - Speen St, Natick	D	-	-	-	-	(25)	5	59	4	-	-
00306	The Summit Rosemont Rd Westwood	D	-	-	-	-	304	81	3	-	-	-
00309	Scheppens Eye Res., 20 Staniford St - Boston	D	-	-	-	-	149	65	-	-	-	-
00310	Modern Continental Construction - 470 Atlantic Ave., Boston	D	-	-	-	-	-	615	-	-	-	0
00311	Boston Athenaeum - 10 1/2 Beacon St	D	-	-	-	-	(104)	477	31	9	-	-
00319	EMC Research & Development Building	D	-	-	-	-	-	2	60	65	-	-
00322	Genzyme - Install New Supply Station - Allston	D	-	-	-	-	-	37	-	-	-	-
00323	Globix Internet 2 Line Customer Substations	D	-	-	-	-	-	16	447	25	-	-
00330	Broad &Wendell - 109 Broad Street, Secondary Network Vault 244	D	-	-	-	-	-	196	33	10	-	-
01155	Engineering Special Purchase 25/4KV Mobile Substation	D	-	-	-	-	-	7	-	-	-	-
	4kv Convert Circuit 8N9, Roxbury	D	-	-	-	-	-	272	320	-	1	_
01226	Establish Secondary Network Vault 464 - Columbus Ave - Boston	D	-	-	-	-	-	3	120	9	-	-
01230	Relieve Brighton 13.8kv Distribution	D	-	-	-	-	-	426	-	-	-	_
01231	New Brookline Village Supply	D	-	-	-	-	-	955	18	-	-	-
01232		D	-	-	-	-	-	247	13	-	-	_
01233		D	-	-	-	-	-	1,859	1,602	-	-	-
01237		D	-	-	-	-	-	216	19	-	-	-
01248	Relieve Arlington Line Group and Station #59	D	-	-	-	-	-	435	670	-	-	-
01253		D	-	-	-	-	-	43	466	56	-	-
01265	Internet 200 Innerbelt	D	-	-	-	-	-	112	341	15	16	-
01287	Replace Direct Buried Cable - Stearns Hill Rd - Waltham	D	-	-	-	-	-	4	2	5	534	1
01316	· ·	D	-	-	-	-	-	591	64	-	-	-
01327	Network Spare Transformer	D	-	-	-	-	-	335	2,613	(1)	-	-
01335	Tufts Univ.,150 Harrison Ave - Boston	D	-	-	-	-	-	137	330	-	-	-
01336	Markley Stearns Boston - 1 Summer St.	D	-	-	-	-	-	(68)	21	1	-	-
01344	University Ave Westwood 2%surcharge to switch from Overhead to Underground	D	-	-	-	-	-	442	11	(438)	(72)	(180
02129	Improve Reliability of Circuit 342-H1	D	-	-	-	-	-	2	192	353	564	-
02132	'	D	-	-	-	-	-	2	97	-	-	-
02178	Increase Secondary Network Vault 480 - Newbury St - Boston	D	-	-	-	-	-	2	86	-	(0)	-
66666	Temporary Customer	D	(41)	(34)	4	-	-	-		-	-	-
83312	· · ·	D	5		10	-	-	-	=	-	-	-
84308	Replace PCB Capacitors	D	2			-	-	-	-	-	-	-
85002	Various Station Miscellaneous Stations Additions	D	-	- 1	1	0	(0)	-	=	-	-	-
85310	Station 12 - Chatham Street	D	-	-	0		-	-	-	-	-	_
86262		D	-	(0)	-	-	-	-	-	-	-	-
86263	Minor Capital Additions Distribution	D	-	(2)	-	-	-	-	-	-	-	-
87102	Various Station Miscellaneous Stations Additions	D	(4)			_	-	-	_	_	_	_
87320	Andrew Square Station	D	(1)		_	_	-	-		_	-	_
87321	Andrew Square Station	D	25			_	_	-		_	-	
0/02/	/ maior oqualo otation	_ U	20	_	-	-	-	-	-	I	-	

	\L	Jonais III	i iiousaiius)					1			
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
88101 Act of Public Authority - Various Towns	D	(1)	-	-	-	-	-	-	-	-	-
88102 Various Station Miscellaneous Stations Ad	D	1	0	-	-	-	-	-	-	-	-
88179 Station 502 - Norfolk Station	D	19	-	-	-	-	-	-	-	-	-
88213 Install Cable Monitoring and Rating System Various Locations	D	26	-	-	0	-	-	-	_	-	-
88224 Act of Public Authority Cummings Hyg Wr	D	46	-	-	-	-	-	-	-	-	-
88262 Street Distribution Customer	D	4	75	1	(8)	-	_	_	_	-	_
88263 Minor Capital Additions Transmission & Distribution	D	(5)		-	-	-	_	-	_	-	-
89102 Various Station Additions	D	1	_	-	-	_	_	_	_	_	-
89145 Replace Oil Switches	D	4	-	-	-	-	_	-	-	-	-
89167 Station 211 - Replace T110	D	15	_	-	-	_	_	_	_	_	_
89234 Waltham Street Work	D	-	-	-	1	_	-	_	_	_	_
89262 Street Distribution Customer	D	(16)	36	(3)	-		-	_	_	_	_
89263 Minor Capital Additions Transmission & Distribution	D	(4)		-	-	-	-	-	_	-	
89340 Relieve Circuit 31501	D	17	_	-	-	-	-	-	-	-	_
88132 Rebuild - Extend 13-0	D	2	-	-	_			_		_	
89375 Nagog Woods Action	D		21		-	<u> </u>	-				
90001 Various Stations - Minor Repairs	D	1	-		-			<u>-</u>		-	
90101 Act of Public Authority - Street Work	D	(2)				<u> </u>	-	-	_	-	
90102 Minor Substation Work	D	- (2)	9		-	<u> </u>	<u>-</u>	<u>-</u>			
	D					<u> </u>		_	-	-	
90175 Boston Ed Energy Controls	D	605	185	(1,073)	0					-	
90192 Station 320 Reactors				(6)	- (0)	-	-	-	-	-	-
90261 Station Vault Equipment	D	1 (7)	7	-	(0)	-	-			-	
90262 Cities Towns Street	D	(7)	` '	4	(0)	-	-	-	-	-	-
90263 Non- Customer Street	D	5	- (0)	-	-	-	-	-	-	-	-
90264 Outdoor Municipal Light	D	1 (222)	(0)	2	- (4.4.4)	-	-	-	-	-	-
90355 MWRA Power Supply	D	(220)		-	(114)	-	-	-	-	-	-
90356 MWRA Power Supply	D	-	-	-	(0)	-	-	-	-	-	-
90399 Indirect Engineering EESO 1990	D	-	0	-	-	-	-	-	-	-	_
90752 Transmission & Distribution Renewals Metro	D	<u> </u>	(0)	-	-	-	-	-	-	-	-
91102 Miscellaneous Station Additions	D	5	-	-	-	-	-	-	-	-	-
91113 Retrofit Sprinkler	D	(117)		-	-	-	-	-	-	-	-
91135 Extend Line 13-109 Street Work	D	(1)	-	-	-	-	-	-	-	-	-
91223 Reconductor Circuit 52-0	D	8	-	-	-	-	-	-	-	-	=
91261 Substation - Customer	D	-	(39)	48	-	-	-	-	-	-	=
91262 Street Customer	D	17	1	-	-	-	-	-	-	-	-
91263 Various Transmission & Distribution Minor Capital Additions	D	(4)	1	(0)	-	-	-	-	-	-	-
91264 Various Outdoor Street Lighting	D	16	-	-	5	-	-	-	-	-	-
91339 Establish New Multi Customer-14 BHA	D	6	-	-	-	-	-	-	-	-	-
91340 SCADA Augmentation	D	-	-	-	2	-	-	-	-	-	-
91758 Substation Transmission & Distribution System Renovations	D	-	(1)	-	-	-	-	-	-	-	=
91903 Various Projects	D	(16)		-	-	-	-	-	-	-	-
91981 Purchase and Sale	D	688	-	-	-	-	-	-	-	-	-
92102 Miscellaneous Station Additions	D	-	0	-	-	-	-	-	-	-	-
92131 Replace Transformer Station 65	D	139	(15)	0	-	(1)	-	-	-	-	-
92140 Retire Quincy Facility	D	14	- 1	-	-	-	-	-	-	-	-
92158 Increase Capacity Ashland/Hopkinton	D	54	8	-	-	-	-	-	-	-	-
92160 Install Fault Indicator	D	-	0	-	-	-	-	-	-	-	-
92167 Retire Station 330 Needham Station Work	D	(1)	-	-	-	-	-	-	-	-	=
92226 Reconductor Circuit 21N31 - Roxbury	D	2	-	-	-	-	-	-	-	-	-
92259 Underground and Overhead Development	D	11	(0)	-	-	-	-	-	-	-	_
===== ==============================		- ''	(0)						I	1	

Boston Edison

2005 ASQR Capital Spending (Dollars in Thousands)

		\ <u>\</u>	Oliai S III I	ilousalius)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
92261	Substation Distribution	D	(91)	82	(47)	-	_	-	-	-	-	-
92262	New Customer Service	D	297	45	O O	0	-	-	-	-	-	-
92264	Street Lighting	D	28	(3)	1	3	-	-	-	-	(1)	-
92271	Communication Upgrade - Various Circuits	D	-	(8)	-	-	-	-	-	-	-	-
92287	Tertiary Network Vault - 13.8kv Vacuum Switch	D	2	5	-	-	-	-	-	-	-	-
92291	Establish Secondary Network Vault 101 - Boston Street Work	D	-	0	-	-	-	-	-	-	-	-
92309	•	D	(118)	-	-	_	-	-	-	-	-	-
92634	·	D	15	-	_	_	_	-	-	_	-	_
92752	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	D	9	-	-	-	_	-	-	-	-	_
92758	Transmission & Distribution Renewals - Substation	D	1	(1)	_	_	_	-	-	_	-	-
92851	Distribution Transformer Equipment	D	(5)	-	-	-	_	-	_	_	_	_
92903	Alterations & Improvements	D	-	(6)	-	_	_	-	-	_	_	-
93101	Acts of Public Authority	D	1	(3)	-	_		-	-	-	-	-
93134	•	D	84	119	51	_	-	-	-	-	-	_
93155		D	-	-	-	(0)	-	_		-	_	_
93163	1 0	D	101	2	-	- (0)		-	-	-	_	
93164	Retire Station 118 - 4kv	D	-	7	-	-		-		-	-	
93164		D	31	- '				-		-	_	
93172		D	1		-			<u>-</u>				
		D								-	-	
93180 93202	· ·	D	50 9	0	(135)	-	-	-		=	-	
			-		-		-	-	-	-	-	-
93238	,	D	60	- (5)	-	-		-				
93245	·	D	17	(5)	-	-	-	-	-	-	-	-
93246	,	D	4	(2)	-	-	-	-	-	-	-	-
93249	,	D	4	(3)	-	-	-	-	-	-	-	-
93250	New Secondary Network Vault - North End	D	3	-	-	-	-	-	-	=	-	-
93251	,	D	96	30	-	-	-	-	-	-	-	-
93252	·	D	42	19	-	-	-	-	-	-	-	-
93253	,	D	4	(4)	-	-	-	-	-	-	-	
93259		D	15	(0)		-	-	-	-	-	-	-
93262	New Customer Service	D	3	(1)	5	1	-	-	-	-	-	-
93263	· ·	D	118	7	(128)	-	-	-	-	-	-	-
93264	<u> </u>	D	20	(5)	1	-	-	-	-	-	-	-
93276	· · · · · · · · · · · · · · · · · · ·	D	11	-	-	-	-	-	-	-	-	-
93285	,	D	-	0	-	-	-	-	-	-	-	-
93295	Remove Step-Downs	D	52	-	-	-	-	-	-	-	-	-
93304		D	-	-	1	-	-	-	-	-	-	-
93307	Brighton - 15kv Conversion	D	139	0	-	-	-	-	-	-	-	-
93310		D	(22)	-	-	-	-	-	-	-	-	-
93372	Secondary Network Vault - Install Network Transformer	D	61	-	-	-	-	-	-	-	-	-
93376	·	D	7	0	-	-	-	-		-	-	
93758	Transmission & Distribution Renewals Substation	D	1	(0)	-	-	-	-	-	-	-	-
93761	Metro Transmission & Distribution Asbestos Removal	D	-	1	-	-	-	-	-	-	-	-
93851	Distribution Transformer Equipment	D	43	55	2	-	-	-	-	=	-	-
94077	Environmental Risk Management System	D	2	-	-	-	-	-	-	-	-	-
94101		D	2	10	-	-	-	-	-	-	-	-
94104	Replace/Repair Transformer	D	1	-	-	-	-	-	-	-	-	-
94110		D	2	2	-	-	-	-	-	-	-	-
94112	<u> </u>	D	(2)	-	-	-	_	-	_	_	-	_
	South Boston Demo	D	82	2	23	2	_	-	_	_	_	_
5-125	554 255.6 Bollio		02		20					1		

		,,,	Jonais III	i iiousaiius)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
94148	Expand Station 488	D	34	8	-	-	-	-	-	-	-	-
94153	·	D	-	0	111	-	-	-	-		-	-
94156	SCADA Control for Various Locations	D	2	1	-	-	-	-	-		-	-
94158	Install Power Quality Meter	D	1	-	-	-	-	-	-	-	-	_
94174		D	-	5	-	-	_	-	-	-	-	_
94178		D	(9)	-	0	-	_	-	-	_	-	_
94200	Station 492 Replace Transformer	D	49	0	-	-	_	-	-	-	-	_
94206	Replace Network Transformer	D	8	-	-	-	_	-	-	-	_	_
94214	·	D	13	1	-	-	_	-	-	-	-	_
94225	Station 514N Replace Transformer	D	161		-	-	_	-	-	-	_	_
94231	Establish Multi Customer13:BCH	D	3	-	-	-	_	-	_	_	_	_
94243		D	34	23	5	-	-	-	-	_	_	_
94262	•	D	438	(14)	(13)	(4)	_	-		-	-	_
94263		D	46	66	0	1	-	-	-	-	_	_
94264	Street Lighting	D	44	(0)	2	2	-	_		-	_	_
94276		D	-	3				_	-	-	_	
94282	ZMWE EWPL @ FED RES	D		-	3	-		_	<u> </u>	<u> </u>	_	
94288		D	- 6	-		-		-	-	-	-	
94289	Extend 146-H8 Wal/Shar	D	22	-	-		<u> </u>					
		D						-		-	-	<u> </u>
	Overhead Oil Switch 4kv Replacement	D	- 3	(1)	-	-	-		-	-	-	
94303	· ·		92	-	-	-	-	-	-	-	-	-
94310		D		-	-	-	-	-			-	
	Establish Circuit 49 Mass College	D	-	-	-	0	-	-	-	-	-	-
94321	Establish Secondary Network Vault 189 Street	D	-	-	268	119	-	-	-	-	-	-
	Establish Circuit 53 New England Telephone	D	8	-	-	-	-	-	-	-	-	-
94325	Improve Circuit 416-H3	D	56	-	-	-	-	-	-	-	-	-
94326	,	D	3	251	9	-	-	-	-	=	-	-
94335	·	D	- (4)	0	-	-	-	-	-	-	-	-
94352		D	(1)	-	-	-	-	-	-	-	-	
94354		D	2	-	-	-	-	-	-	-	-	-
94356	Replace Network Transformer	D	267	3	-	-	-	-	-	-	-	-
94357	Establish Secondary Network Vault 289	D	1	0	-	-	-	-	-	-	-	-
94362	·	D	69	1	12	-	-	-	-	-	-	-
94370	10	D	6	-	-	-	-	-	-	-	-	-
94371	INAR ZMWE @FED RES	D	-	-	(3)	-	-	-	-	-	-	-
94375	117	D	45	2	-	-	-	-	-	-	-	-
94376	÷	D	-	-	-	-	1	-	-	-	-	-
94378	Station 282 Install Distribution Hydrant Vacuum	D	-	1	-	-	-	-	-	-	-	-
94379		D	-	98	-	-	-	-	-	=	-	=
94387	North End Conversion	D	-	71	185	184	-	-	-	-	-	-
94633	,	D	630	87	25	-	-	-		-	-	-
94752	Like for Like Replacement	D	(4)	(5)	(18)	-	-	-	-	-	-	-
94753	Paving	D	3	-	-	-	-	-	-	-	-	-
94851	Purchase of Distribution Transformers	D	626	564	360	155	-	-	-	ı	-	
94923	Design Project Management	D	(7)	-	-	-	-	-	-	=	-	-
95101	Acts of Public Authority	D	133	26	93	(141)	-	-	-	=	-	=
95103	Lab Blanket	D	27	-	-	-	-	-	-	-	-	-
95104	Failure in Service	D	186	-	-	-	-	-	-	-	-	-
95105	Various Station Portable Tools	D	27	-	-	-	-	-	-	-	-	-
95106		D	11	-	-	-	-	-	-	-	-	-
	•									i		

	(1	Juliai S III	i ilousalius)			1					
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
95113 Retire Station 118 - 4kv	D	6	-	-	-	-	-	-	-	-	-
95123 Major Customers SAS	D	4	10	-	-	0	-	-	-	-	-
95124 Extend Circuit	D	21	-	-	-	-	-	-	-	-	=
95125 Rebuild MATEP Line	D	134	-	-	-	-	-	-	-	-	-
95145 Retire Station 303	D	2	-	-	-	-	-	-	-	-	-
95147 Relocate Circuit 282-H8	D	2	-	657	46	0	-	_	-	-	-
95151 Install Network Transformer	D	6	155	1	-	-	-	_	-	-	_
95152 Boston College New Supply	D	205	116	_	10	174	434	_	-	-	_
95154 Improve Newton Power Supply	D	21	0	22	-		-	_	_	-	_
95158 Reconductor Circuit 516-08	D	(2)	-		_	-	_	_	_	_	_
95160 Establish Secondary Network Vault 29	D	6	-	-	_	-	_	-	_	-	-
95163 Secondary Network Vault - Huntington - Boston	D	56	-	0	_	-	-	_	_	_	_
95174 Station 329 Backflow	D	33	-	-	-	_	-	-	-	_	_
95176 Station 282 Backflow	D	1	-	-	-	-	-	_	-	-	-
95179 Establish Circuit 65-H5	D	293	-	-	-	_	-	_		_	
95179 Establish Circuit 65-H5 95186 Station 65 - 4kv	D	99	- 0	2	-	-	-	-	<u>-</u>	-	<u>-</u>
95187 Retire Station 65	D	6	-		<u>-</u>	-	<u>-</u>			-	
95188 Station 125, 135 Replace Breaker	D	11	9	0	<u>-</u>		<u>-</u>	-	<u>-</u>	_	
	D	15	5	3	(0)	-	<u>-</u>				<u> </u>
· · · · · · · · · · · · · · · · · · ·	D	-	-	4	- (0)	-	<u>-</u>	-	-	-	
95207 Replace Station 33 Roof	D		- 1								
95220 Establish Station 35		-		-	-	-	-	-	-	-	-
95223 Station 211 - Inst Digital Transient Recorder	D	-	4	-	-	-	-		-	-	
95237 Establish Station 31	D	6	(65)	-	-	-	-	-	-	-	-
95248 Install Oil Containment	D	-	3	-	-	-	-	-	-	-	-
95256 Cathodic Protection	D	-	8		- (4.4)	-	-	-	-	-	-
95262 New Customer Business	D	2,994	708	17	(14)	2	-	-	=	-	-
95263 Minor Capital Additions	D	897	180	2	2	0	-	-	=	-	-
95264 Street Lighting	D	90	36	9	4	0	-	-	-	-	-
95265 Replace Overhead 4kv Oil Switch	D	-	(1)	-	-	-	-	-	-	-	-
95295 Relieve Circuit 586-161H	D	72	0	-	-	-	-	-	-	-	-
95298 Station 2 - 13.8kv Switchgear Bus	D	4	6	-	-	-	-	-	-	-	-
95299 Dobly Relay Test	D	10	(5)	-	-	-	-	-	-	-	-
95312 Replace Circuit Breaker	D	14	-	-	-	-	-	-	=	-	=
95315 Convert Station 15 Station Work	D	81	152	1	(0)	-	-	-	=	-	=
95316 Convert Station 15 Street Work	D	1,719	84	1	-	-	(18)	-	-	-	-
95318 Natick Conversion	D	70	29	64	8	-	-	-	-	-	-
95320 Oil Switch Replacement - S. West	D	-	(1)	-	-	-	-	-	-	-	-
95323 Convert Station 14 Station Work	D	110	205	5	-	-	-	-	-	-	-
95324 Convert Station 14 Street Work	D	686	87	24	3	-	-	-	-	-	-
95325 Tertiary Network Vault 684 - Boston	D	246	-	-	-	-	-	=	=	-	-
95326 Tertiary Network Vault 6189 - Boston	D	216	(19)	-	-	-	-	-	=	-	-
95330 Establish Secondary Network Vault 568	D	145	10	-	-	-	-	-	=	-	-
95331 Retire Secondary Network Vault 386	D	1	-	-	-	-	-	-	=	-	-
95333 North Communications	D	-	240	-	0	14	3	(17)	-	3	1
95346 Purchase Infrared Camera	D	57	-	-	-	-	-	-	-	-	-
95352 Convert Station 315 Station Work	D	16	88	10	23	-	-	-	-	-	-
95353 Convert Station 315 Street Work	D	3,432	655	(1)	0	-	-	-	-	-	-
95354 Convert Station 477 Station Work	D	-	-	20	24	-	-	-	-	-	_
95355 Convert Station 477 Street Work	D	3,984	1,431	19	1	-	_	-	_	-	_
95357 Establish Secondary Network Vault 581	D	181	0	13	1	-	-	_		_	_
20007 Establish Occordary Network Vault 301	U	101	U	1	!			-			

	(1	Jonais III	i iiousaiius)						1		
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
95362 Replace Transformer 24B	D	-	-	-	0	-	-	-	-	-	-
95364 MATEP Metering	D	4	-	0	-	-	-	-	-	-	-
95366 Hopkinton Station 126 - Station Work	D	132	609	4,572	628	5	(1)	-	-	-	-
95369 Retire Transformer 24B	D	33	-	-	-	-	- '	-	-	-	-
95370 Station 320 Control/Relay	D	-	0	-	-	-	-	-	-	-	-
95372 Establish Tertiary Network Vault 6190	D	111	338	-	-	-	-	-	-	-	_
95378 Detector Tertiary Network Vault 607	D	1	-	-	-	-	-	-	-	-	_
95384 Retire Secondary Network Vault 281	D	1	_	_	7	_	-	_	-	_	-
95385 Establish Station 44	D	1	-	-	-	-	-	-	_	_	_
95390 Keep Cost	D	733	1,022	3	0	-	-	(44)	_	-	_
95391 Replace Tertiary Network Vault 6188	D	(28)	-	-	-	-	-	-	-	-	-
95393 Relocate Overhead to Underground	D	5	294	473	102	0	(89)	(167)	(19)	-	_
95396 Station 75 Neutral Transformer	D	75	86	2	-	-	(00)	-	-	_	-
95397 Paging System	D	- 73	0	0	-	-	-	_	-	-	-
95399 Information Service Indirect Engineering	D	4	-		-	-	<u>-</u>				
0 0	D	335	5	- 0		-	-	-	-	-	
y .	D	1,406	2	- 0	-		-	-		-	<u>-</u>
95753 Paving 95758 Like for Like Overhead	D	1,406			-		-	-		-	<u> </u>
	D		(18)	(16)	-				-		
95780 Indirect Engineering & Supervision		3	0	-		-	-	-	-	-	-
95781 Equipment & Tools	D	(1)	- 0.44	-	-	-	-	-	-	-	46
95851 Purchase of Distribution Transformers	D	8,231	341	-	-	-	-	-	-	-	-
95903 Buildings/Alterations	D	1	-	-	-	-	-	-	-	-	-
95904 Service Equipment	D	3	-	-	-	-	-	-	-	-	-
95927 Woburn Service Center Shut Down	D	4	-	-	-	-	-	-	-	-	-
95964 Overhead Customer Work Order	D	39	-	-	-	-	-	-	-	-	-
95981 Purchase of Miscellaneous	D	11	- ()		-	-	-	-	-	-	-
95997 Cutoffs/Restorations	D	(181)	(63)	246	188	(469)	-	-	-	-	-
96126 Replace Station 47-2	D	54	67	-	-	-	-	-	-	-	-
96127 Replace Station 47-2	D	188	139	109	4	-	-	-	-	-	=
96153 Replace Transformer Station 211	D	294	2,214	45	1	-	-	-	-	-	-
96155 Establish Tertiary Network Vault 6196	D	154	16	-	-	-	-	-	-	-	-
96161 Establish Secondary Network Vault Station 427	D	30	8	-	-	-	-	-	-	-	=
96171 Split Fiber Main Replacement	D	135	-	0	-	-	-	-	-	-	-
96172 Retire Transformer Secondary Network Vault 24	D	3	-	-	-	-	-	-	-	-	-
96187 Police & Paving	D	3,356	2,461	2,696	-	-	-	-	-	-	-
96188 Distribution Transformers	D	163	40	-	-	-	-	-	-	-	-
96192 Survey & Records Supervisor Indirects	D	6,180	-	-	-	-	-	-	-	-	-
96193 Preliminary Capital Engineering Indirect	D	277	393	66	35	43	-	-	-	-	-
96194 Cust Div Buildings	D	154	55	-	-	-	-	-	-	-	=
96195 Customer Distribution Street Work	D	3,645	5,873	125	(26)	13	-	-	-	-	-
96196 Customer Distribution Station	D	980	210	1	0	-	-	-	-	-	-
96197 Street Lighting	D	273	92	24	1	-	-	-	-	-	-
96198 System Distribution Station work	D	119	62	-	-	-	-	-	-	-	-
96199 System Distribution Street Work	D	13,362	1,485	433	0	-	(16)	-	-	-	-
96205 Secondary Network Vault - 404	D	10	123	0	-	-	-	-	-	-	-
96206 Secondary Network Vault - 415	D	16	287	-	-	-	-	-	-	-	_
96233 Establish Station 414	D	49	23	-	-	-	-	_	-	-	_
96234 Retire Secondary Network Vault 57 A&B	D	293	(107)	-	-	-	-	_	-	-	_
96235 Establish Tertiary Network Vault 6201	D	112	234	1	-	-	-	_	_	_	-
96236 Replace Secondary Network Vault 34	D	-	94	-	_	-	_	_	_	_	
10200 Nopiace Occordary Network Vault 04	U	-	34	-			-	-	-	-	

		7.	Juliais III	nousanas)							I	
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
96244	Implement Reliability Center Maintenance	D	85	58	-	-	-	-	-	-	-	-
96274		D	-	312	92	1	-	-	-	-	-	-
96278	Replace Aerial Cable	D	75	9	-	-	-	-	-	-	-	-
96285	Secondary Network Vault - 387	D	133	-	-	-	-	-	-	=	-	-
96288	Establish Tertiary Network Vault 6200	D	30	112	0	-	-	-	-	=	-	=
96301	Establish Tertiary Network Vault 6199	D	100	24	0	-	-	-	-	=	-	=
96303	Convert Station 324 - Station Work	D	6	4	106	4	-	-	-	-	-	_
96304	Convert Station 324 - Street Work	D	1,111	240	24	0	1	-	-	-	-	-
96305	Re-Establish Secondary Network Vault 390B	D	-	53	0	-	-	-	-	-	-	-
96306	Replace Tertiary Network Vault 67	D	145	-	0	-	-	-	-	-	-	-
96308	Establish Tertiary Network Vault - Courthouse	D	4	322	5	-	-	-	-	-	-	-
96309	Establish Tertiary Network Vault 6198	D	46	211	-	-	-	-	-	-	-	-
96313	Convert Station 10 - Street Work	D	1,415	177	2	0	-	-	-	_	-	-
96314	Convert Station 10 - Station Work	D	11	91	7	-	-	-	-	-	-	-
96319	Improve Reliability - Needham	D	109	99	17	-	-	-	-	_	-	_
96364	Establish Tertiary Network Vault 6203	D	-	-	116	0	-	-	-	-	-	
96368	Hopkinton Station 126 - Street Work	D	11	10	988	64	0	-	_	-	_	_
96370	Station 479 - station Work	D	36	-	-	-	-	-	-	-	-	_
96371	Storm Keep Cost	D	14	7	-	-	_	-	-	-	-	_
96372		D		14	1	14	1	-	_	-	_	-
96377	Act of Public Authority - Underground Westwood	D	265	516	(10)	0	- '	(411)	(143)	8	(140)	(179)
96386	Establish Tertiary Network Vault 6197	D	-	358	3	1	-	-	-	-	-	- (
96390	Convert Station 8 - Station Work	D	1	5	8	29	-	_	_	-	_	-
96391	Convert Station 8 - Street Work	D	1,935	2,007	73	2	0	3	-	-	-	-
96392	Convert Station 283 - Station Work	D	609	(609)	73	-	-	-	-		_	_
96393	Convert Station 283 - Street Work	D	3,547	1,747	16	8	_	-	-	-	-	-
96394	Convert Station 306 - Station Work	D	7	5	26	2	2	-			_	
96395	Convert Station 306 - Station Work Convert Station 306 - Street Work	D	5,949	2,258	78	13		-	_	<u> </u>	-	
96396	Convert Station 300 - Station Work	D	5,949	2,230	20	62	<u>-</u>	-			-	
96397	Convert Station 340 - Station Work Convert Station 340 - Street Work	D	3,505	1,053	45	3	-	1	-	<u>-</u>	-	
96575	Retire Hardware/Software	D	3,303	-	- 43	-	<u>-</u>	- 1	-		-	
96836	Purchase Vehicle	D	46			-	-	-		-	-	
96863	Lab Equipment	D	99	0	-	-	<u>-</u>	-		<u>-</u>	-	
96981	Real Estate	D	71	- 0	-	-		-				
		D			-	-	-	<u>-</u>	-		-	<u> </u>
96997 97109	Plant Adjustment Fatablish Secondary Network Voyalt 426	D	233	- 88	162	39	3		-	=	-	<u> </u>
	Establish Secondary Network Vault 436	D	-		104		-	-		-	-	
97111	Split Fiber Main Replacement	D	-	138			-		-	-	-	-
97117		D	-	50 84	-	-	-	-	-	-	-	=
97119			-		- 04	-	-	-	-	-	-	-
97128	Establish Secondary Network Vault 386	D	-	1	91	1	-	-	-	=	-	-
97131	NYNEX To Fiber Conversion	D	-	477	27	8	-	-	-	=	-	-
97133	· · · · · · · · · · · · · · · · · · ·	D	-	1	6	1	-	-	-	-	-	-
97134	,	D	-	9	4	1	-	-	-	-	-	
	Establish Secondary Network Vault 582	D	-	178	(4)	1	-	-	-	-	-	=
	Convert Station 454 Street Work	D	-	2,284	946	257	39	-	-	-	-	-
	Establish Tertiary Network Vault 6205	D	-	100	3	1	-	-	-	-	-	-
	System Event Track	D	-	126	-	-	-	-	-	-	-	-
97146	•	D	-	-	99	68	-	-	-	-	-	-
97148		D	-	-	0	-	-	-	-	-	-	-
97149	Tertiary Network Vault 641D - replacement	D	-	1	-	-	-	-	-	-	-	-

			Jonai 3 III	i ilousalius)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
97172	Establish Secondary Network Vault 301B	D	-	-	4	-	-	-	-	-	-	-
97173	Establish Secondary Network Vault 441	D	-	-	23	89	-	-	-	-	-	-
97175	4KV Somerville Primary Network Unit Street Work	D	-	843	261	2	-	-	-	-	-	-
97180	Fiberoptic Expansion	D	-	-	-	-	-	70	-	-	0	-
97188	• •	D	-	8,308	234	-	-	-	-	5,452	5,700	6,514
97192	Survey & Records	D	-	8,511	510	87	-	-	-	-	-	-
97193		D	-	230	(0)	-	-	-	-	-	-	-
97195		D	-	2.570	154	(19)	7	(1)	-	-	-	-
97196	Customer Distribution Station	D	-	413	9	2	-	- '	-	-	-	-
97197	Street Lighting	D	-	146	28	1	0	-	-	-	-	-
97198		D	-	59	13	2	-	-	-	-	-	-
97199	·	D	-	11,227	500	23	-	-	-	-	-	-
97199	·	D	39		-	-	-	-	-	-	-	_
97200	,	D	-	2,326	2,463	856	19	4	-	-	-	5
97202		D	_	656	4	0	-	- '	_	-	_	-
97212	10 /	D		-	8	136	-	-	_	-	_	_
97233		D		131	4	0	-	_	-	-	-	_
97270		D		161	3		_	_	_	-	-	-
97271		D		0	1	-	-	_	-	_	-	-
97273	· ' '	D	-	2	224	-	-	_	_	_	-	-
	B-D St. Ex-Haul Rd	D	-	5	0		-	-	-	<u>-</u>	-	<u> </u>
97277		D		3	144	1	_	<u> </u>	_	_	_	
97278	,	D		0	-	-	-	-	-	-		
97279	· · · · · · · · · · · · · · · · · · ·	D		69	-	-	-	<u> </u>	-		-	
97286	· ·	D	-	- 09	38	<u>-</u>	-	-	-	-	<u>-</u>	
97320		D	<u> </u>	9	30	- 0	-	-	-			
97320		D	-	4	16	6	-	-	-	-	-	
97321	•	D	<u> </u>	0	186	0	-	-	-		-	
97322	,	D	-	- 0	60	3	-	-	-	-		
97323		D	-		79	2	-	-	-	-	-	<u> </u>
97325	•	D	-	-	10	17	-	-	-	-	-	
97320		D			5	1	-	-	-	-		
	·	D				3	-	-				<u> </u>
98130 98131	·	D	-	-	155 182	0	-	-	-	-	-	
	•		-				-					
98132	•	D D	-	-	3	-	-	-	-	-	-	-
98133	, ,	D			1		- 1					
98134	, ,		-	-	•	106		- 04	-	-	-	-
98187		D D	-	-	1,510	13	24	21	-	-	-	<u>-</u>
98188			-		4,925	(65)			-	-	-	
98193	, , ,	D	-	-	221	78	-	-	-	-	-	-
98215	·	D	-	-	1,926	236	- 04	-	-	-	-	-
98218	,	D	-	-	269	1	24	-	-	-	-	-
98219	•	D	-	-	278	526	0	-	-	-	-	-
98221	0	D	-	-	272	74	-	-	-	-	-	-
98230		D	-	-	2,193	49	2	104	23	-	- 4	-
98233		D	-	-	1,046	301	-	-	-	120	4	-
98237	,	D	-	-	205	25	1	-	-	-	-	-
98238		D	-	-	274	(0)	-	-	-	-	-	-
98240	1	D	-	-	385	15	-	-	-	-	-	-
98242	Convert Step Down Transformer	D	-	-	493	12	-	-	-	-	-	-

AUTH	
98243 Convent 284-01	2005
98244 A Street	-
99246 US Gov National Park	-
98247 Rebok HO	-
98248 Station 450 Expansion D	-
98249 120 South Hampton St	-
98250 88 Exerter St - Boston D - 1 - - - - - 98251 Burlington Rd - Bedfrod D - 45 171 1 - - 98252 Establish Secondary Network Vault 2010 D - 1 177 - - 98254 Establish Tertiary Network Vault 6212 D - 270 - - 98254 Establish Tertiary Network Vault 6212 D - 1 229 - - 98256 Establish Tertiary Network Vault 6212 D - 1 229 - - 98256 Station 250 Doble Institute D - 63 166 16 1 - 98259 Station 250 Doble Institute D - 63 166 16 1 - 98250 Street Light Work D - 130 198 243 267 - 2 98260 Street Light Work D - 44 (14) - - 98263 Street Light Work D - 98300 New Customer - Everett St Brighton D - 98300 New Customer - Everett St Brighton D -	-
98251 Burlington Rd - Bedford D	-
98252 Establish secondary Network Vault 200 D	-
98253 Establish Tertiary Network Vault 6211 D - - 270 - - - - - -	_
98254 Establish Terriary Network Vault 6212 D 1 229	_
98255 Establish New 496-H3 D 794	_
88256 Station 250 Doble Institute D - - 63 166 16 1 - -	_
98259 Hazeltine Monitoring D - 130 198 243 267 - 2 - 98260 Street Light Work D - 44 (14) - - - - - 98263 SCADA Y2K D - 594 (18) - - - - 98263 SCADA Y2K D - 594 (18) - - -	_
98260 Street Light Work D 44 (14)	_
98263 SCADA YZK	_
98300 New Customer - Everett St _ Brighton D	_
98302 New Customer - Bay State Rd	_
98303 New Customer - Tremont St D - - 7 - - - - - - -	_
98304 Secondary Network Vault 582 D - - 34 1 - - - - - - - - -	_
98305 Station 481	
98308 New Customer State St	
98309 Secondary Network Vault 436 D	
98310 Tertiary Network Vault 6208 D - - 120 22 7 -	_
98311 New Customer - Lafayette PI D - - 86 8 - <	-
98312 Act of Public Authority - Overhead to Underground S. Loomis D - - 4 - 6 - <t< td=""><td>-</td></t<>	-
98313 MWRA Pumping D - - 171 (41) -	-
98314 Villages D - - 254 9 -	-
98315 Cronins Landing D - - 88 -	-
98317 Waltham Woods D - - 285 36 -	-
98319 MWRA Shaft SA Temp D - - (91) 47 5 - </td <td>-</td>	-
98320 Boston College D - - 171 15 3 -	-
98321 Pine Meadows Carlisle D - - 26 1 - </td <td>-</td>	-
98322 Astra Corp D - - 8 388 2 - - - - - 98323 Cabot St - Overhead & Underground D - - 1 -	-
98323 Cabot St - Overhead & Underground D - - 1 -	-
98327 Altron Inc - Woburn D 89 4 0	-
	-
00000 Ctation 407 Cun Miara	-
98329 Station 487 - Sun Micro D 153 2	-
98330 Somerville Housing Authority - Mystic D 14 12 1	-
98332 175 Crossing Blvd. Framingham D 140	-
98333 Leonard Morse Hospital - Framingham D 0	-
98334 TJX Expansion Natick D 12 135 4	-
98335 Staples Crossing Blvd - Framingham D - - 115 0 - - - - -	-
98336 The Sanctuary - Cottage St. Natick D 277 2 (28) 3 12	-
98337 New Customer 1601 Wash St D 11 118 53	-
98338 Sun Micro System D (110) 88 19	-
98339 Raytheon 2nd Line D 127 0	-
98340 Overhead to Underground Bedford & Lexington D 9 2	-
98341 Overhead/Underground - Bedford D 0	-
98342 Planet Hollywood D 11 164 (1) 1 1	-
98344 BU Medical Center D 1 39 1	-

	(1	Dollars in	i nousanas)					1			
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
98345 25 Huntington Ave	D	-	-	3	(37)	11	-	-	-	-	-
98701 Underground Circuit Emergency Replacement	D	-	-	2,497	327	2	-	-	-	-	-
98702 Underground Reliability Improvements	D	-	-	297	28	0	-	-	_	-	_
98703 Overhead Reliability Improvements	D	_	_	837	204	4	18	10	-	(1)	_
98704 Overhead Reliability Improvements	D	-	-	231	23	0	-	-	-	- (.)	_
98705 Station Breaker/Transformer Failure	D	_	-	597	154	12	-	_	-	-	_
98707 Underground Corrective/Emergency Replacement	D	<u>-</u>	-	1,056	36	-	-	_	-	(5)	_
98708 Underground Reliability Improvements Somerville/Waltham	D	-	-	82	45	4	-	_	-	(0)	-
98709 Overhead Corrective/Emergency	D		-	926	101	3	16	13	-	(2)	
98710 Overhead Reliability Improvements	D		-	139	62	6	-	5	-	(2)	
	D			134		5				-	<u> </u>
		-	-		130		8	-	-	-	
98713 Underground Corrective/Emergency Replacement	D	-	-	344	35	4	-	-	-	-	-
98714 Underground Reliability Improvements	D	-	-	1	0				-	-	-
98715 Overhead Corrective/Emergency	D	-	-	384	70	7	5	15	-	-	-
98716 Overhead Reliability Improvements	D	-	-	787	(143)	1	-	-	-	-	-
98719 Underground Keep Cost Mass	D	-	-	555	30	-	-	(1)	-	-	-
98720 Keep Cost - Mass Ave	D	-	-	79	7	-	-	-	-	-	-
98721 New Customer - Mass Ave	D	-	-	1,530	1,317	754	1,103	177	46	7	-
98722 Residential Development - Mass Ave	D	-	-	11	30	30	-	-	-	-	-
98723 Temporary Customer- Mass Ave	D	-	-	21	(32)	60	-	-	-	-	-
98724 Volume Sales New Customer - Mass Ave	D	-	-	731	342	114	8	1	-	-	3
98726 Volume Sales Temporary Customer Mass Ave	D	-	-	(7)	(2)	24	-	-	-	-	-
98727 Volume Sales Cable TV Mass Ave	D	-	-	-	O	1	-	-	2	0	=
98739 MASS AVE FSA Station Improvement	D	-	-	78	60	1	-	-	_	-	-
98741 New Customer Somerville	D	-	-	635	497	14	-	-	_	-	-
98742 Residential Development Somerville	D	-	_	140	177	6	_	_	-	-	_
98743 Temporary Customer Somerville	D		-	(13)	(71)	3	33	-	-	-	_
98744 Volume Sales - New Customer Somerville	D	_	-	518	177	13	-	_	-	-	_
98746 Volume Sales Temporary Customer Somerville	D		-	(13)	(2)	0	-	_	-	_	_
98747 Volume Sales Cable TV Somerville	D		-	- (13)	5	10	3	_	-	(2)	<u> </u>
98749 Volume Sales Single Phase Service Underground Somerville	D	-	-	-	0	0	-	-	-	(0)	
98750 Volume Sales Single Phase Service Orderground Somerville	D		-	-	-	1				0	
									-	U	
98761 New Customer Framingham	D	-	-	192	106	21	-	-	=	-	-
98762 Residential Development Framingham	D	-	-	488	309	67	18	-	-	-	-
98763 Temporary Customer Framingham	D	-	-	14	5	-	1	-	-	-	-
98764 Volume Sales New Customer	D	-	-	240	162	10	-	-	-	-	-
98765 Residential Customer - Framingham	D	-	-	5	-	-	-	-	-	-	-
98766 Volume Sales Temporary Customer Framingham	D	-	-	-	(1)	-	-	-	-	-	-
98770 Underground Services - Framingham	D	-	-	-	0	1	-	-	-	-	-
98780 Street Light Add/Relocate	D	-	-	548	85	(11)	-	-	-	=	=
98781 Street Light Modernization	D	-	-	233	8	(2)	-	-	-	-	-
98782 Street Light Removals	D	-	-	28	(18)	(33)	1	2	-	-	0
98783 Street light - No Current Replace	D	-	-	-	-	2		-	-	-	
98784 Underground Keep Cost Somerville/Waltham	D	-	-	89	10	1	-	-	-	-	=
98785 Underground Keep Cost Framingham/Waltham	D	-	-	10	-	-	-	-	-	-	-
98786 Overhead Keep Cost Somerville/Waltham	D	-	-	150	6	-	-	(8)	-	-	-
98787 Overhead Keep Cost Framingham/Waltham	D	-	-	183	19	1	(8)	(9)	-	-	0
98788 Street Light Knock Downs	D	-	-	1	-	-	-	-	-	-	-
98791 C&S Minor System Improvements	D	_	-	3,860	2,403	382	74	13	1	2	_
98792 C&S Minor System Improvements	D	<u>-</u>	-	743	826	13	-	-	-	0	-
00/02 Oxforminion Oystom improvements	U	=	-	140	020	10	-	=	-	U	

		(1	Jonais III	i nousanas)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
	Plant Adjustment	D	-	-	-	-	-	(14)	-	-	(48)	129
	Acts of Public Authority	D	-	-	-	-	-	- 1	-	-	-	26
	System Failures/Replacements	D	-	-	-	-	-	-	945	-	-	-
99011	Underground Network Feeder Replacement	D	-	_	-	178	1	-	1	-	-	_
99012	4KV Switch Replacement	D	_	_	-	597	14	1,096	759	586	61	(6)
99013	4kv Switch Replacement	D	_	-	-	218			-	-	-	-
99014	4kV Switch Replacement	D	-	-	-	172	4	-	11	-	_	_
99015	Underground A/C Network Secondary Replacement	D	-	_	-	285		-	-	-	_	-
99016	Underground Transformer Failure Replacement	D	-	-	_	56	-	-	-	-	-	
99017	Underground Minor Reliability Improvements - Mass Ave	D	<u> </u>	_	-	170	61	30	203	1	(0)	
99018	Keep Costs Mass Ave	D	-	-		375	580	445	347	104	66	407
	Overhead 4KV Equipment Replacement	D	<u> </u>				0	16				
99019		_		-	-	65			-	-	-	-
99020	Overhead 14KV Equipment Replacement	D	-	-	-	32	1	-	-	-	-	-
99021	Overhead Radial Second Replacement	D	-	-	-	24	1	1	-	-	-	-
99022	Overhead Service Replace - Mass Ave	D	-	-	-	20	0	-	-	-	-	-
99024	Overhead Minor Reliability Improvement	D	-	-	52	27	2	-	- (48)	-	-	-
99025	Overhead Keep Cost Mass Ave	D	-	-	-	34	58	56	(18)	(32)	-	-
99032	Underground 4KV Cable Replacement	D	-	-	-	292	0	-	402	56	183	18
99033	Act of Public Authority Waltham	D	-	-	-	763	5	12	147	28	6	7
99034	Waltham keep Cost	D	-	-	-	107	1	60	99	23	13	9
99036	Underground Transformer Failure Replacement	D	-	-	-	6	-	-	-	-	-	-
99037	Overhead Circuit Walkdown Waltham	D	-	-	-	43	15	59	162	643	196	124
99038	Keep Cost Somerville	D	-	-	-	47	127	161	79	71	185	10
99039	Walpole Like for Like Replacement	D	-	-	-	103	6	351	1,127	978	950	893
99040	Framingham Like for Like Replacement	D	-	-	-	242	11	506	1,222	1,317	873	1,173
99041	Circuit Upgrades Somerville	D	-	-	-	59	2	315	1,518	499	186	11
99042	Overhead Service Replacement - Somerville/Waltham	D	-	-	-	63	-	-	-	3	-	_
99044	Waltham Like for Like Replacement	D	-	-	45	80	1	677	1,581	1,334	1,698	1,837
99045	Overhead Keep Cost Somerville	D	-	-	-	59	68	60	35	(18)	(12)	-
99052	Underground 4kv Circuit Cable Replacement	D	-	-	-	26	-	-	192	175	520	79
99053	Overhead Circuit Walkdowns Framingham	D	-	_	-	81	8	-	57	331	98	81
99054	Underground Radial Second Replace	D	_	-	-	7	-	_	_	-	-	
99056	Underground Transformer Failure Replacement	D	-	_	-	17	-	-	-	-	_	_
99057	Underground Minor Reliability Improvements - West	D	_	-	-	7	-	2	3	-	-	-
99058	Keep Cost Walpole	D		-	-	12	85	157	50	(46)	21	54
99059	Overhead 4KV Equipment Replacement	D	_	-	-	161	19	53	76	-	-	-
99060	Overhead 14KV Equipment Replacement	D	-	_	_	375	24	26	28	(13)	-	-
99060	Overhead Radial Second Replacement	D	<u> </u>	-		25	10	18	23	(13)	-	
99062	Overhead Service Replacement Framingham/Walpole	D	-	-		13	-	- 10	-	-	-	-
99062	Overhead Minor Reliability Improvement	D	<u> </u>		76	40	-		-		-	-
		_		-						- (00)	- (2)	
99065	Keep Cost Framingham Overhead Circuit Wellsdowns	D	-	-	-	167	289	152	13	(99)	(2)	23
99070	Overhead Circuit Walkdowns	D D	-	-	-	-	389	6	30	156	438	102
99071	Construct Framingham Minor Improvement Street	_	-	-	-	-	264	362	465	365	226	311
	Construct Walp Minor System Improvement	D	-	-	-	-	-	141	411	265	146	130
	Construct Walt Minor System Improvrvements Line of Business Street	D	-	-	-	-	432	627	649	376	229	134
99076	Construct Walt Minor Sys Improvements Line of Business Station	D	-	-	-	-	-	8	-	-	-	-
	Capital for Construction Maintenance	D	-	-	-	-	30	131	43	-	(1)	
	Maintenance Fram / Walp / Walth Line of Business	D	-	-	-	-	194	192	112	-	(3)	(14
99186	Engineering Distribution Street	D	-	-	-	-	-	-	-	1,149	319	369
99187	Police / Paving	D	-	-	-	5,062	3,789	7,088	9,276	7,242	7,023	-

	(1	Jonais III	i ilousalius)								
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
99198 BECo Prelim Eng	D	-	-	-	-	-	-	1,214	2,563	1,912	154
99199 Records	D	-	-	21	2,193	1,466	1,496	1,872	1,540	2,003	1,703
99200 Upgrade Underground Residential Development	D	-	-	64	774	74	2	60	-	-	-
99201 Convert 4Kv to 13.8 Circuit 323-04 -06	D	-	-	-	519	168	25	18	-	0	-
99202 PAR Convert 430-11&4	D	-	-	-	85	0	-	-	-	(1)	-
99203 Convert Emmanuel College	D	-	-	-	579	745	42	-	-	1	-
99204 Convert Primary Network Unit 24	D	-	-	-	1,916	814	19	4	-	0	1
99205 Convert Circuit 277-04	D	-	-	-	168	240	(3)	-	-	(1)	-
99206 Convert Primary Network Unit 25	D	-	-	-	1,375	1,705	294	121	-	1	-
99207 Convert 516-08 & 468-07	D	-	-	-	1,459	6	-	-	-	-	2
99208 Convert 344-02	D	-	-	-	225	79	154	5	-	(0)	-
99209 Convert Circuit 3603 loop system	D	-	-	-	102	60	173	353	1	-	C
99210 Convert 4Kv 13.8Kv 6004.344-05	D	-	-	-	111	302	534	151	-	-	
99211 Convert 139-09	D	_	-	-	111	83	374	5	_	(1)	_
99212 Convert Circuit 277-01	D	_	-	-	8	21	493	91	-	(0)	_
99213 Retire Station 469, Somerville	D	-	-	-	2,920	984	85	14	1	43	(2
99214 Convert 4Kv to 13.8Kv Circuit 4301,4307	D		_	-	168	105	451	98	-	2	
99217 Station 285	D		_	_	76	223	724	277	-	2	-
99221 Indus Model Construction	D		-	_	11	668	870	277	8	69	(2
99230 Mass Ave Like for Like Replacement	D	_	-	-	1,433	3,515	5,323	6,517	5,615	4,491	7,345
99231 Overhead Corrective Replacement - Mass Ave	D	-	-	-	1,433	3,313	517	484	66	(10)	(0
99232 Station Corrective Replacement - Mass Ave	D		-	_	186	1,744	650	52	-	(10)	- (0
99233 Overhead Minor Reliability Improvement - Mass Ave	D		-	-	63	85	108	238	22	(6)	
99234 Field Service Area1 System Capacity Improvements	D	<u> </u>	-	-	58	66	162	991	12	6	12
99240 Somerville Like for Like Replacement	D	<u> </u>	-	-	392	1,310	2,234	1,392	1,836	1,540	1,199
99241 Overhead Corrective Replacement - Somerville	D	<u> </u>	-	-	416	599	680	538	63	(23)	(15
99242 Station Corrective Replacement - Somerville	D	-	-	-	67	32	600	(22)	85	(23)	- (13
99243 Overhead Minor Reliability Improvements Somerville Ops Distribution	D	<u> </u>	-	-	4	62	16	126	-	-	
99250 Underground Corrective Replacement - West	D	-	-	-	71	767	339	126	2	(0)	
99251 Overhead Corrective Replacement - West	D	-	-	-	312	1,113	737	85	39	(11)	(49
	D			-	515	965	82	(937)	1	` '	,
99252 Station Corrective Replacement - West 99253 Overhead Minor Reliability Improvements - West	D	-	-	-	47	32	336	222	1	- (1)	<u>-</u>
	D		-	-	-			48		- (1)	
99255 Install New Transformer Sta. 470 99256 Rebuild Underground Residential Development-Edgewater Apts,Worc.Rd	D	-	-		-	1,122 249	1,582 133	181	-	-	-
The second secon	D	-				439	163	54		- (4)	-
99257 Extend Circuit 148-H3 Westwood 99271 Relieve 548-92H	D	-	-	-	-	321	-	- 54	2	(1)	-
	D						383	28			
99272 Increase Capacity East		-	-	-	-	-			8	(1)	-
99273 Convert Step-down Area	D D	-	-	-	-	- (75)	306	733	-	-	-
99300 MWRA C-H Pumping Station, Brighton		-	-	-	-	(75)	34	63	-	-	-
99301 New Balance Guest St, Brighton	D D	-	-	-	- 07	54		10	-	-	-
99302 BU New Station 508		-	-	5	97	294	78	28	36	-	-
99303 Bland Plastic	D	-	-	1	368	28 186	95	6	-	-	-
99304 Landmark Center	D	-	-	6	152		-	-	-	-	-
99305 Laconia Condo	D	-	-	10	114	-	-	-	-	=	-
99306 Establish Secondary Network Vault 57	D	-	-	-	(33)	2	1	-	1	-	-
99308 Greenways Assisted Living	D	-	-	-	122	14	-	-	-	=	-
99309 Framingham Triangle	D	-	-	-	18	14	2	-	-	-	-
99310 EMC Corp Hopkinton	D	-	-	-	(9)	74	-	-	-	-	-
99311 Metro West Hospital	D	-	-	-	0	-	-	-	-	-	-
99312 Establish Secondary Network Vault 564	D	-	-	-	20	0	-	-	-	-	-

	(1	Joliars in	i nousanas)								
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
99313 Establish Tertiary Network Vault 6217 A&B	D	-	-	-	37	3	-	-	-	-	-
99314 Mission Main Phase 1	D	-	-	-	-	31	13	-	-	-	-
99315 Establish Secondary Network Vault 509	D	-	-	-	4	-	-	-	-	-	-
99316 Establish Secondary Network Vault 57	D	-	-	-	2	1	-	-	-	-	-
99317 BV Development / Underground Guest St.	D	-	-	-	2	(96)	26	-	-	-	-
99319 Riverside Center	D	-	-	-	0	-	-	-	-	(0)	-
99322 Butler St Relocation - MBTA	D	-	-	-	-	(82)	(146)	1	-	-	-
99324 63-67 Endicott St Boston	D	-	-	-	203	164	-	_	_	-	_
99328 Markley Stearns 1 Summer St, Boston	D	-	_	-	203	358	9	4	20	-	-
99330 MDA/Milennium Place 601 Wash St Boston	D	_	_	-	-	440	39	(12)	-	_	_
99331 Zade 112 Canal St, Boston	D	-	-	-	-	206	97	194	30	_	_
99332 Walpole High School	D	-	-	-	22	107	64	16	-	-	_
99333 EMC 117 South St, Hopkington	D		-	-	17	394	67	-	-	-	_
99355 Customer Special Waltham	D	_	-	-		-	56	87	-	22	_
99375 Indus Model New Customer	D	_	_	_	87	8	280	78	2	(2)	0
99377 Indus Model New Customer 99377 Indus Model Temporary Customer	D	-	-	-	1	2	- 200	-	-	- (2)	- 0
99377 Indus Model Temporary Customer 99378 Indus Model Remove Service	D				0	2	-	-	-	-	<u> </u>
	D	-	-	-		4	4	-			<u>-</u>
		-	-	-	-				=	-	
99380 Indus Model Overhead Services/Underground Services	D	-	-	-	-	-	1	-	-	-	- (0)
99382 Indus Model Customer Spec Authorization	D	-	-	-	-	-	78	132	14	-	(3)
99386 4Kv Oil Switch Replacement	D	-	-	-	-	-	-	-	289	131	-
99575 Con Electric Distribution Asset Strategy	D	-	-	-	-	-	119	465	-	-	-
99576 Construct Phase 2 - 122 Line Rebuild	D	-	-	-	-	-	33	-	-	-	-
99605 Station Transformer Corrective Replacement Station 59	D	-	-	-	-	-	6	1	-	-	-
99705 Station Breaker/Transformer - Mass Ave	D	-	-	-	119	4	-	-	-	-	-
99711 Station Breaker/Transformer - Somerville/Waltham	D	-	-	-	-	16	-	-	-	-	-
99717 Station Breaker/Transformer Fra/WP	D	-	-	-	210	2	-	-	-	-	-
99720 Street Lighting - Mass Ave	D	-	-	-	-	(2)	16	14	31	27	28
99721 New Customer - Mass Ave	D	-	-	3	1,517	6,029	7,195	11,064	8,680	3,343	2,563
99722 Residential Development - Mass Ave	D	-	-	-	26	227	156	76	-	(0)	(5)
99723 New Temporary Service - Mass Ave	D	-	-	-	64	148	339	389	10	(0)	-
99724 New Customer Mass Ave	D	-	-	3	813	548	130	116	9	-	-
New Customer	D	-	-	-	-	-	-	30	-	-	-
99725 Residential Customer Mass Ave	D	-	-	36	61	104	118	111	20	(17)	5
99726 New Customer Mass Ave	D	-	-	-	3	1	3	-	-	-	-
99727 CATV Mass Ave	D	-	-	3	53	27	19	21	4	(1)	-
99729 Overhead & Underground Services - Mass Ave	D	-	-	59	43	58	34	296	20	(2)	(2
99730 Underground Services - Mass Ave	D	-	-	22	12	13	-	-	-	- ` '	-
99731 New Customer Waltham	D	-	-	-	-	761	2,046	1,780	2,274	564	713
99732 Residential Development - Waltham	D	-	-	-	-	169	126	145	4	(1)	-
99733 New Temporary Service Waltham	D	-	-	-	-	85	11	11	3	(0)	-
99734 Residential Customer Waltham	D	-	-	-	-	72	62	111	2	(0)	-
99735 CATV Waltham	D	-	-	-	-	16	7	1		(1)	-
99736 Overhead & Underground Services - Waltham	D	-	-	-	-	63	54	47	10	(1)	-
99737 Street Light Waltham Customer Operations	D	_	-	-	-	1	1	2	3	1	8
99739 Station Improvement - Mass Ave	D	-	-	-	7	- '	- '	-	-	-	-
99741 New Customer Somerville	D	-	-	1	911	3,787	1,221	1,349	1,341	810	887
99742 Residential Development Somerville	D	-	-	0	214	41	136	75	5	(4)	-
99743 New Temporary Service Somerville	D		-	-	67	27	36	6	-	(5)	
99744 New Customer Somerville	D	-	-	19	543	1	20	8	3	- (3)	
14cm Cratottici Sottici Alice	U	-	-	19	543	I I	20	ō	ა	-	

	T		Dollars III	i iiousaiius)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
99745	Residential Customer Somerville	D	-	-	43	74	42	17	30	2	-	-
99746	New Temporary Service Somerville	D	-	-	-	5	0	-	-	-	-	-
99747	CATV Somerville	D	-	-	42	44	10	10	16	-	-	-
99749	Overhead Services/Underground Service Somerville	D	-	-	41	65	55	25	23	3	(1)	-
	Underground Service Somerville	D	-	-	39	36	-	-	-	-	- '	-
99751	New Customer Walpole	D	-	-	-	-	401	682	773	1,074	327	576
	Residential Development Walpole	D	-	-	-	-	4	187	152	5	(1)	-
	New Temporary Service Walpole	D	-	-	-	-	11	16	3	-	- ` ′	-
	Residential Customer Walpole	D	-	-	-	-	29	32	18	1	-	-
	CATV Walpole	D	-	-	-	-	19	1	-	2	-	-
99756	Overhead Services/Underground Service Walpole	D	-	-	-	-	56	80	61	11	(1)	-
	Street Light Walpole Customer Operations	D	-	-	-	-	3	3	7	23	24	43
	New Customer Framingham	D	-	-	15	555	744	983	792	715	434	477
99762	Residential Development Framingham	D	-	-	3	158	780	448	283	40	-	(2)
	New Temporary Service Framingham	D	-	-	-	2	31	27	10	4	(1)	
	New Customer Framingham	D	-	-	1	202	185	8	-	-	- '	-
	Residential Customer Framingham	D	-	-	15	27	20	16	38	7	(0)	-
	New Temporary Service Framingham	D	-	-	-	15	1	-	-	-	- '	-
	CATV Framingham	D	-	-	3	32	46	1	2	-	-	=
	Overhead Service Framingham	D	-	-	30	68	97	105	72	6	(2)	-
	Underground Service Framingham	D	-	-	88	86	2	-	-	-	- '	=
	Street Lights Framingham COPS	D	-	-	-	-	0	-	-	4	2	14
	Street Lights Somerville COP	D	-	-	-	-	6	3	-	11	40	39
	Street Light Install & Relocate	D	-	-	8	178	558	1,116	585	36	(78)	7
	Modernizations	D	-	-	4	39	(2)	-	-	-	-	-
99782	Removals	D	-	-	5	3	(2)	-	-	-	-	-
99783	No Current Minor St Light Replace	D	-	-	539	318	24	-	-	-	-	-
	System Planning BECo	D	-	-	3,619	3,230	1,991	1,750	292	237	-	-
	Minor Capital Improvements Mass Ave	D	-	-	15	2,818	1,174	7,900	1,377	1,149	1,077	348
	Minor Capital Improvements Stations BECo	D	-	-	-	172	464	873	5,066	3,039	3,497	2,911
	Construction Mass. Ave. Act of Public Authority	D	-	-	0	494	850	1,249	545	585	102	152
99794	Split Fiber Main Replacement	D	-	-	11	2,384	3,356	6,932	14,661	4,226	3,448	1,983
99795	Circuit Upgrades Mass Ave	D	-	-	1	860	257	48	53	42	(2)	-
	Minor System Improvement Somerville	D	-	-	-	747	391	21	762	500	1,019	289
99799	Walpole Act of Public Authority	D	-	-	-	-	11	83	109	103	180	125
	Technical Support various locations	D	-	-	5,426	6,253	9,061	9,139	13,154	17,799	17,706	17,417
	Zerolife - Various	D	-	-	-	-	-	1	-	-	-	-
99906	BECo Facilities Construction	D	-	-	-	-	-	479	-	-	-	128
99982	Atlantic Ave	D	-	-	-	-	-	274	-	-	-	-
99993	Various Projects	D	-	-	-	-	361	-	-	-	-	-
	Various Projects	D	(381)	67	65	(1,771)	(680)	1,258	-	-	(89)	311
	Various Projects	D	-	-	-	-	-	(467)	1,098	(43)	` '	(26)
	Install Conduit Huntington Avenue	D	-	-	-	-	-	-	369	154	6	-
	Cambridge Trust Co, Cambridge St, Boston	D	-	-	-	-	-	-	55	-	-	-
	Michelangelo St, Secondary Network Vault 496	D	-	-	-	-	-	-	46	15	-	-
	EMC Engineering Building Hopkinton	D	-	-	-	-	-	-	86	-	-	-
	131 Dartmouth St, Tertiary Network Vault 6218	D	-	-	-	-	-	-	353	-	-	-
	Overhead to Underground Canton Center	D	-	-	-	-	-	-	19	954	95	(376)
	Overhead to Underground - Westwood Center	D	-	_	_	-	-	_	525	130	(54)	(146)
	Overnead to Onderground - Westwood Center											

		, ,	Jonaro III	Tilousarius								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
01180	Dedicated Line to Logan Airport	D	-	-	-	-	-	-	169	12	-	-
	Install Inoperative Relays at Stations	D	-	-	-	-	-	-	1,646	108	29	2
01192	Purchase 115kV/14kV Mobile Transformer	D	-	-	-	-	-	-	871	451	(26)	-
01217	Retire PNU28 20N28, 23N28X/Y, 23N3	D	-	-	-	_	-	-	50	-	-	_
01218	4kV West Roxbury 284-08	D	-	-	-	-	-	-	(133)	-	(1)	=
01228	Increase Capacity W. Roxbury / Brookline	D	_	_	-	_	_	-	2,028	2	-	-
01245	Reconfigure 304-77H	D	-	-	-	_	-	-	1,135	(93)	-	_
01256	REIT Two Line Station	D	_	_	-	_	_	-	258	505	216	227
01267	Internet 30 Innerbelt Road	D	_	-	-	_	-	-	2	-	(3)	
01288	Rebuild Underground Real Estate Development - Chapel Hill	D		-	-	_	-	-	176	_	-	_
01289	Rebuild Underground Real Estate Development -Lord Chesterfield	D	_	-	-	_	-	-	47	_	_	_
01290	Underground Real Estate Development Rebuild Nagog Woods	D		-	_	_	-	-	38	_	59	_
01310	System Spare Transformer	D		_		_	-	-	1,063	2	-	_
01328	Relocate Conduit, MBTA Wash. St	D		-	_	-	_	-	726	55	_	_
01329	Establish Tertiary Network Vault 6228 @ 10 Boylston St	D	_	_	_	_	_	_	241	11	_	
01329	Increase Capacity @ Station # 148	D		-		-	-	-	1,848	83	30	(198
01338	Increase Capacity & Station # 1450	D		_		_	_	_	108	-	-	- (130
01338	Install 3rd Transformer Station #450	D		-		<u> </u>	-		2,023	72	-	
01339		D	-	-	-	-	-	-	67	142	-	<u> </u>
_	Establish Secondary Network Vault 566 Chauncy St Boston	D								+	-	
01345	OH Reconductor Circuit Walpole		-	-	-	-	-	-	7	-	-	-
	Provide New Supply Guiterrez Constr	D	-	-	-	-	-	-	122	3	0	
01348	Increase Capacity Station 148 Street Work	D	-	-	-	-	-	-	256	916	8	- 44
01349	Purchase of Tools Field Support	D	-	-	-	-	-	-	115	63	(29)	11
01609	Cathodic Protection	D	-	-	-	-	-	-	7	4	-	-
02103	Relieve Sudbury Station #342	D	-	-	-	-	-	-	244	-	-	-
02104	Relieve Woburn Station #375	D	-	-	-	-	-	-	43	-	-	-
02126	Relieve Natick Line Group	D	-	-	-	-	-	-	384	(2)	-	-
02127	Relieve Saxonville Line Group	D	-	-	-	-	-	-	143	-	-	-
02128	Improve Reliability Circuit 455-H1	D	-	-	-	-	-	-	167	136	(35)	547
02131	Reconfigure Circuit 146-H2	D	-	-	-	-	-	-	146	-	-	-
02133	Relieve Circuit 148-H3	D	-	-	-	-	-	-	203	1	-	-
02134	Improve Reliability of Circuit 23-H2	D	-	-	-	-	-	-	189	49	-	-
02135	Replace Underground Real Estate Development Cable in Indian Hill	D	-	-	-	-	-	-	143	122	-	-
02143	4Kv Modernization Project-13N29	D	-	-	-	-	-	-	120	144	62	17
02144	4Kv Modernization Project-14N29	D	-	-	-	-	-	-	145	128	37	-
02145	4Kv Modernization-17N29	D	-	-	-	-	-	-	92	108	384	0
02148	Replace Underground Real Estate Development Amberwood Drive	D	-	-	-	-	-	-	188	238	2	-
02149	BU New Indoor Track	D	-	-	-	-	-	-	153	-	-	-
02151	Convert section 17N33 Somerville	D	-	-	-	-	-	-	670	507	197	=
02152	Convert section 26N33 Somerville	D	-	-	-	-	-	-	82	294	114	-
02158	Reconductor 250-1N81H	D	-	-	-	-	-	-	235	94	0	-
02161	Replace Underground Real Estate Development Cable on Oak Park Drive	D	-	-	-	-	-	-	42	-	-	-
02166	Retire and Relocate Transformer - Station 106	D	-	-	-	-	-	-	-	463	(23)	-
02177	Relocate Overhead Lines to Underground	D	-	-	-	-	-	-	116	-	-	13
02180	Increase Capacity Secondary Network Vault 46 Newbury St	D	-	-	-	-	-	-	251	-	-	-
02181	Establish Secondary Network Vault 233 Newbury St	D	-	-	-	-	-	-	346	-	-	-
02194	Breaker Replacements Stations #329 & 250	D	-	-	-	-	-	-	10	425	-	-
02195	Relieve Chelsea-East Boston Region	D	-	-	-	-	-	-	593	107	-	-
02196	Convert 4Kv Underground to 13.8Kv Circuit 293-03	D	-	-	_	-	-	-	160	-	_	_
	4Kv South Boston Circuit 139-08	D		-	_	_	-	-	543	60	4	-
32 107	Coa Doctor official 100 00								0-10	55	7	

	(1	Dollars in	i nousanas)			1					
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
02198 Convert 4Kv Underground to 13.8Kv Circuit 143-05	D	-	-	-	-	-	-	483	109	(0)	20
02199 Transfer SO End Network #492-#106	D	-	-	-	-	-	-	116	(3)	-	-
02200 Convert 4Kv Underground Loop Circuit 396-08	D	-	-	-	-	-	-	363	176	1	1
02201 Relieve Boston Medical Line Group	D	-	-	-	-	-	-	222	82	_	_
02203 Reconductor Circuit 106-H4	D	-	-	-	_	_	-	12	-	_	3
02204 Convert 4Kv Underground to 13.8Kv Circuit 5203	D	-	_	-	_	_	-	3	3	_	
02205 Convert 4Kv Underground to 13.8 Kv Circuit 5210	D	-	-	-	-	-	-	5	12	_	_
02207 Relieve NE Medical+Boston Herald LG	D	_	_	-	_	-	-	454	-	_	_
02208 Relieve South Postal Annex LG	D		-	_	-	-	-	226	-	_	_
02209 Relieve Park Plaza LG	D		_		_	_	_	264	227	_	_
02211 Convert 4Kv to 13.8Kv Circuit 139-01	D	_	-	_	-	-	_	798	246	100	33
02216 New Duct, Summer Street	D	-	-	_	-	-	_	-	185	2	-
02217 Convert 4Kv Underground to 13.8Kv Circuit 4308	D	-	-	_	-	-	_	6	229	375	4
02220 Station # 329 Duct Bank Projects	D	-	-		-	-	-	4,002	109	-	9
02221 Convert 4Kv to 13.8Kv Circuit 3615	D		-		<u> </u>	_		551	2	-	31
02221 Convert 4KV to 13.8KV Circuit 506-12	D		-		-	-	-	691	5	-	-
02223 Convert Centre Street 4Kv to 13.8Kv	D			-	-	-	-	165	660	723	162
	D	-	-			-	-		863	286	2
		-	-	-	-			100			
02225 New Station 496 Duct Bank	D	-	-	-	-	-	-	6	424 207	-	- 4
02226 Reconductor Line 13-1416XY	D	-	-	-	-	-	-	112		4	1
02227 Remote Terminal Unit Upgrade Many Stations	D	-	-	-	-	-	-	329	-	-	-
02228 Station #455 Replace 115Kv Breakers	D	-	-	-	-	-	-	229	-	-	-
02250 115kv Breaker Replacement Somerville	D	-	-	-	-	-	-	131	-	-	-
02270 CSPEC Nahatan St Westwood Ma	D	-	-	-	-	-	-	2	74	2	162
02274 Distribution Infrastructure L Street to K Street Stations	D	-	-	-	-	-	-	-	1,022	1,678	(292)
02287 Continue Hazeltine	D	-	-	-	-	-	-	-	245	442	7
02290 Replace Transformer 110A and 110B Hyundai	D	-	-	-	-	-	=	-	1,928	(316)	
02296 Replace Network Protector	D	-	-	-	-	-	-	-	362	41	2
02298 Network Station Fire Support System	D	-	-	-	-	-	-	-	240	-	-
02302 Neutral Current Relays	D	-	-	-	-	-	-	-	2	75	
02308 Purchase Network Spare @ Station 71	D	-	-	-	-	-	-	1,135	66	369	-
02309 South Rd and Loomis St. Bedford Act of Public Authority	D	-	-	-	-	-	-	162	98	(4)	-
02310 Walpole Water Dept New Customer Connect	D	-	-	-	-	-	-	-	136	(28)	-
02317 Tunnel Lighting/Vent	D	-	-	-	-	-	-	-	652	135	51
02337 Increase Capacity River St Line Group	D	-	-	-	-	-	-	124	-	-	=
02345 Transformer LTC Dielectric Monitors	D	-	-	-	-	-	-	60	2	62	=
02347 Secondary Network Vault 198 Hanover Street - Boston	D	-	-	-	-	-	-	-	41	(165)	-
02350 K Street Substation - South Boston	D	-	-	-	-	-	-	-	11,008	5,235	1,111
02354 Conversion to 13kV, Circuit 23N28X	D	-	-	-	-	-	-	55	22	1,063	167
02365 Increase Tie Capacity Station 396	D	-	-	-	-	-	-	264	-	-	-
02369 Mass Biotech	D	-	-	-	-	-	-	-	192	40	545
02372 Webster Street Hotel	D	-	-	-	-	-	-	-	89	140	-
02373 Lexington Station 34 Transformer 14A+14B	D	-	-		-	-	-	608	14	-	-
02377 Establish Secondary Network Vault 505, Boylston Street, Boston Street work	D	-	-	-	-	-	-	-	94	-	-
02378 Establish Secondary Network Vault 505, Boylston Street, Boston Station work	D	-	-	-	-	-	-	-	196		-
02380 Upgrade Arlington Infrastructure	D	-	-	-	-	-	-	=	2,296	10	-
02420 Install new Circuit Relieve 13-01 -24	D	-	-	-	-	-	-	120	=	=	-
02421 Line Extension to Station 838	D	-	-	-	-	-	-	122	-	-	-
02430 Relieve Circuit 488-H1	D	-	-	-	-	-	-	404	-	-	-
02437 New Circuit to relv 320-H1 - H6	D	-	-	-	-	-	-	620	100	1	-
!			-			-		_			

		(1	Dollars in	i nousanas)		I	ı ı					
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
02438	Reconfigure 351-03 351-06	D	-	-	-	-	-	-	439	352	(10)	-
02440		D	-	-	-	-	-	-	266	(3)	2	-
03101		D	-	-	-	-	-	-	-	1,014	-	-
03102		D	-	_	-	_	-	_	-	69	_	-
03109		D	-	_	-	_	-	_	-	132	_	
03110		D	_	_	_	_	-	-	-	30	_	_
03114		D	_	_	_	-	_	-	-	80	_	_
03114	•	D		_	_	-	_	-	-	97	_	-
03117		D		_		-	_	-	-	43	17	9
03118		D		_		-	_	-	_	30	- '	
03118		D	<u> </u>	_		-	_	-	-	38		
		D										
03120			-	-	-	-	-	-	-	84	0	-
03123		D	-	-	-	-	-	-	-	62	-	-
03129		D	-	-	-	-	-	-	-	28	-	-
03131		D	-	-	-	-	-	-	-	253	13	-
03132		D	-	-	-	-	-	-	-	198	-	-
03133		D	-	-	-	-	-	-	-	357	-	-
03134		D	-	-	-	-	-	-	-	281	-	-
03135		D	=	-	-	-	-	-	-	121	-	=
03139		D	-	-	-	-	-	-	-	77	-	-
03140		D	-	-	-	-	-	-	-	207	-	-
03141	Relieve Circuit 13-10	D	=	-	-	-	-	-	-	25	-	-
03142	Relieve circuit 13N14	D	=	-	=	-	-	-	-	2	=	=
03144	Install new Elastimold switch circuit 36-09	D	-	-	-	-	-	-	-	39	-	-
03147	Relieve circuit 467-H8	D	-	-	-	-	-	-	-	39	-	-
03148	Reconductor 36-20	D	-	-	-	-	-	-	-	133	-	-
03150	Relieve circuit 487-1376H1	D	-	-	-	-	-	-	-	37	-	_
03155	Relieve circuit 211-04	D	-	-	-	-	-	-	-	78	5	=
03156	Relieve circuit 250-1N81H1	D	-	-	-	-	-	-	-	76	-	-
03157		D	-	-	-	-	-	-	-	66	-	
03158		D	-	_	-	_	_	-	-	37	_	_
03159		D	-	_	-	-	_	-	-	29	_	_
03160	·	D	_	-	_	_	_	_	-	88	_	_
03161		D	-	_	_	_	-	-	-	91	_	_
03162		D	_	_	_	_	_	-	-	27	_	_
03173		D	-	-	-	-	-	-	-	201	_	5
03174		D		_		-	_	-	-	2,944	164	3
	Establish New Overhead Circuit 342-H6	D	-	-		-	-			467	-	
03179		D	-	_		-	-	-		131	13	23
03182		D								129		
		D D	-	-	-	-	-	-	-		72	-
03192	·		-	-	-	-	-	-	-	620	-	-
03194		D D	-	-	-	-	-	-	-	101	(40)	=
03195		_	-	-	-	-	-	-	-	549	(12)	
03197		D	-	-	-	-	-	-	-	117	-	-
03198	· ·	D	-	-	-	-	-	-	-	177	-	-
03199		D	-	-	-	-	-	-	-	362	-	-
03201		D	-	-	-	-	-	-	-	302	4	-
	Relieve DSS line 17-1355 - Phase 2	D	-	-	-	-	-	-	-	73	-	-
03204		D	-	-	-	-	-	-	-	465	-	-
03206	Relieve the Raytheon Line Group	D	-	-	-	-	-	-	-	846	9	-

	Т		(Dollars in	i nousanus)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
03207	Relieve the Waltham-2 Line Group	D	-	-	-	-	-	-	-	265	-	-
03208	Relieve Thermal Loading at Station 496	D	-	-	-	-	-	-	-	313	-	-
03209	Bridge Crossing DSS lines 506-140H, 233-90H, 36-51	D	-	-	-	-	-	-	-	36	203	666
03210	Distribution Automation Mass Ave	D	-	-	-	-	-	-	-	77	65	33
03223	Partners Health Care Fruit St. @#55 Boston	D	-	-	-	-	-	-	-	559	66	-
03252	Improve Voltage Conditions on Dedham Circuits	D	-	-	-	-	-	-	-	174	-	-
03253	North Washington St. Bridge Conduit	D	-	-	-	-	-	-	-	129	45	-
03259	Improve Reliability at Summit	D	-	-	-	-	-	-	-	28	-	-
03261	Establish Secondary Network Vault 597, Fleet St., Boston Street	D	-	-	-	-	-	-	-	397	(25)	-
03268	Relieve 13.8kV/4kV Step-down Transformer at Station 26	D	-	-	-	-	-	-	-	7	(7)	-
03269	Circuit 211-06 Load Relief	D	-	-	-	-	-	-	-	94	- ` ′	-
03288	Improve Regulation of Circuit 148-H1	D	-	-	-	-	-	-	-	79	-	-
03296	System Improvements for Conduit to Convention Center	D	-	-	-	-	-	-	-	2,300	(107)	-
03297	Relieve Stoneham Line Group N-1	D	-	-	-	-	-	-	-	14	(14)	-
03298	Relieve Circuit 355-05	D	-	-	-	-	-	-	-	40	-	-
03299	Relieve Circuit 23-05	D	-	-	-	-	-	-	-	5	-	-
03301	Relieve Circuit 24-08	D	-	-	-	-	-	-	-	10	-	-
	Establish 329-H2/H5 Tie	D	-	-	-	-	-	-	-	0	-	=
	Distribution Infrastructure Station 106	D	_	-	-	-	_	_	-	167	-	_
	Sudbury Station 342 Replace Transformer	D	_	_	-	-	-	_	_	1,035	3,701	215
03321	Install New Transformer Station 375 Street Work	D	_	_	_	-	-	_	_	849	(14)	-
03327	Reconductor Network Feeder 71-1N31	D	_	_	_	-	-	_	_	103	-	_
03328	Reconductor Network Feeder 492-1N32	D	_	_	_	-	-	_	_	125	-	-
03330	Increase 15Kv Dist Capacity, Dorchester	D	_	_	-	-	-	_	_	243	_	_
03332	Distribution Automation Somerville	D	_	-	-	-	-	_	-	256	80	14
03333	Distribution Automation Waltham	D	_	_	_	-	-	-	-	641	142	0
03334	Distribution Automation Waltham Distribution Automation Walpole	D	_	_	_	_		-	-	504	85	11
	Distribution Automation Framingham	D	_	_	-	_	-	_	-	600	175	47
	Distribution Automation Computer Hardware North	D	-	_	-	_	-	-	-	44	158	9
	Colburn Street Substation (Distribution Street) Child	D		_		-		_	-	727	5,685	6,110
	Colburn Street Substation (Station) Child	D	_	-		-		_	-	442	8,620	6,056
	Establish New Network Feeder 53-1N74E	D						-		96	0,020	-
	MBTA 500 Arborway Boston	D		-		-		_	-	111	94	265
	BHA - Lenox St, Roxbury	D		_		-		_	-	116	(52)	47
	Academy Homes II - Washington St, Roxbury	D		-		-		-	-	194	(32)	41
	One Brigham Circle - 1636 Tremont St, Roxbury	D		_		-		-	-	86	(1)	
03393	Nazing Apartments - Nazing Ct, Roxbury	D		-		-		-	-	77	82	
03396	Merck Company 33 Louis Pasteur Ave, Roxbury	D	-	-				-	-	88	-	<u> </u>
01279	Relocate OH to UG Norfolk Center	D				-		-	-	-	60	
	Rebuild URD-Austin Road	D	-	-								
02130	111111111111111111111111111111111111111	D D	-	-	-	-		-	-	-	100	-
02169	Second Chelsea Creek Crossing		-		=	-	-	-	-	-	217	3
02303	Convert Coolidge Corner 10 Circuits	D D	-	-	-	-		-	-	-	808	489
02368	Boston University - Life Science		-	-	-	-		-	-	-	204	-
	Relieve New Step-Down 292-H7	D	-	-	=	-	-	-	-	-	1	-
	Smith & Wollensky Arlington St.@#101 Bos Station	D	-	-	-	-	=	-	-	-	158	15
	Gyaymac Pr Cambridge St. @#1 Bos Station	D	-	-	-	-	-	-	-	-	2	69
	Install capacitor bank @ Station 456 Dover	D	-	-	-	-	-	-	-	-	(111)	-
	Station 240 Framingham Xfmr Installation	D	-	-	-	-	-	-	-	-	3,874	61
	Arch St. Tower Arch St. @#33 Bos	D	-	-	-	-	-	-	-	-	(146)	-
03218	Millenium Partners Charles St.@#1 Bos	D	-	-	-	-	-	-	-	-	112	-

		(1	Joliars in	Thousands)		I						
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
03219	Charles Smith Realty Co Washington St.@#680 Bos	D	-	-	-	-	-	-	-	-	17	28
03220	· · · · · · · · · · · · · · · · · · ·	D	-	-	-	-	-	-	-	-	(106)	-
03221		D	=	-	-	=	-	=		-	(264)	(31)
03222		D	-	-	-	-	-	-	-	-	61	94
03225	, · · · · · · · · · · · · · · · · · · ·	D	-	-	-	-	-	-	1	1	(169)	-
03227		D	-	-	-	-	-	-	-	-	10	-
03228		D	=	-	-	=	-	=		-	119	-
03229		D	-	-	-	-	-	-	-	-	(5)	-
03230		D	-	-	-	-	-	-	i		(8)	-
03232		D	-	-	-	-	-	-	-	-	7	101
03233		D	-	-	-	-	-	-	i		60	9
03234		D	-	-	-	-	-	-			152	-
03235		D	-	_	-	-	-	_	-	-	(51)	60
03236		D	-	_	-	-	-	_	-	-	165	2
03262		D	_	_	_	_	_	-	_	_	(129)	-
03265		D	_	_	_	_	_	_	_	_	3	_
03266		D	_	_	_	-	-	_	-	-	487	59
03358	·	D	_	-	_	_	_	_	-	-	72	-
03388	<u> </u>	D	_	_	_	-	_		-	-	47	_
03389		D	_	_	-	-	-	_	-	_	149	_
03398		D	_	_	_	-	_		-	-	1,139	3
03902		D	_	_	_	-	_		-	_	1,949	66
03904		D	_	_	-	-	_	_	-	_	173	-
03905	<u> </u>	D	_	_	-	-	-			_	25	-
03906		D		_	-	-	_		-	-	15	(101)
03907		D	-	_	-	-	-	-	-	-	(69)	(101)
03908		D	-	_	-		_			-	131	
03909	·	D		_	-					-	6	
04136	· · · · · · · · · · · · · · · · · · ·	D	-	-		_	-			-	371	-
04130		D	<u> </u>	-	-	-	-			-	187	
04137		D	-	-			-			-	76	(5)
04139		D	<u> </u>	-	-	-			-	-	92	40
04140		D		_	-					-	76	-
04140		D		-	-		-	<u>-</u>		-	43	11
04141		D					-	<u>-</u>			39	0
04142		D	-	-	-	-	-	<u> </u>		-	707	(12)
		D										
04144	' '	D	-	-	-	-	-	=	-	-	41 7	-
04145		D	-	-	-	-	-	-	-	-		-
04146	•	D	=	-	-	-	-	-	-	-	1 4	-
04147			-	-	-	-	-	-		=	•	-
04148		D	-	-	-	-	-	-	-	i	0	-
04149		D	-	-	-	-	-	-	-	-	1	-
	Relieve 274-H1 Stepdowns	D	-	-	-	-	-	-	-	-	8	-
	Relieve 240-H1 Stepdowns Prospect St	D	-	-	-	=	-	=	-	·	(0)	-
	Relieve 240-H1 Stepdowns - Farm Road	D	-	-	-	-	-	=	-	=	1	-
04154		D	=	-	-	-	-	-	-	-	13	-
04155		D	-	-	-	-	-	=	-	=	193	247
04157		D	-	-	-	-	-	-	-	-	195	51
04158		D	-	-	-	-	-	-	-	-	460	11
04159	Pole replacements Framingham	D	-	-	-	-	-	-	-	-	272	-

			(Dollars in	i nousanus)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
04163	Circuit Upgrade & Repair, 329-H7	D	-	-	-	-	-	-	-	-	8	1
04165	Relieve circuit 4-H5	D	-	-	-	-	-	-	-	-	148	-
04166	Reconductor 483-H4	D	-	-	-	-	-	-	-	-	65	-
04168	Relieve Circuit 52-12	D	-	-	-	-	-	-	-	-	112	0
04169	Relieve 143-75 - Humbolt Ave line group	D	-	-	-	-	-	-	-	-	222	1
04170	Relieve 318-129H - St Juan Street line group	D	-	-	-	-	-	-	-	-	89	-
04171	New duct bank American Legion Hwy to WalkHill St	D	-	-	-	-	-	-	-	-	234	833
04172	Reconductor 466-1482H	D	-	-	-	-	-	-	-	-	278	-
04173	Relieve line 525-191H	D	-	-	-	-	-	-	-	-	6	-
04175	DSS Reliability, 474-136	D	-	-	-	-	-	-	-	-	252	85
04176	DSS Reliability, 344-1412H	D	-	-	-	-	-	-	-	-	777	213
04177	Relieve 492-1N45N	D	-	-	-	-	-	-	-	-	255	(3)
04178	Relieve 53-1N42E	D	-	-	-	-	-	-	-	-	108	-
04179	Relieve 492-1N46S	D	-	-	-	-	-	-	-	-	124	(10)
04180	Relieve 53-1N11E	D	-	-	-	-	-	-	-	-	21	-
04181	Relieve 492-1N11N	D	-	-	-	-		-	-	-	27	-
04182	Reconductor sections on network feeder 514-1N13N	D	_	_	-	-	-	_	_	_	36	10
04183	Reconductor sections on network feeder 492-1N11N	D	_	-	-	-	_	_	_	-	189	7
04184	Relieve 492-1N25N	D	_	_	_	-	_	_	_	_	157	9
04185	Relieve 71-1N11 & 71-1N14	D	_	_	-	_	_	_	-	-	254	20
04186	Relieve 2-1N14	D	_	_	_	_	_	_	_	_	75	73
04187	Relieve 71-1N12	D	_	_	_	-	-	_	_	_	2	-
04188	Relieve 2-1N33	D	_	_	_	-	_	_	_	_	267	_
04189	Relieve 492-1N32N	D	_	_	_	-	-	-	-	_	145	(20)
04190	Relieve 492-1N33S	D	-	_	-	-		-	-	-	82	(20)
04191	Increase Capacity of Secondary Network Vault 25	D	-	-	-	_	-	-	-	-	67	- '
04191	Increase Capacity of Secondary Network Vault 171	D	_	-		-		-	_	-	101	
04194	Underground 4kV oil switch replacements	D	-	-		_		_	-	-	323	36
04194	Overhead 4kV oil switch replacements	D	-	 		-		-		-	9	-
04193	Pole Replacements Central	D	-	-	-	-	-	-	-	-	20	
04198	Pole Restorations Central	D				-		-	-		10	
04199	Reconductor sections on network feeder 514-1N34N	D	-	-	-	-	<u> </u>	-	-	=	161	-
		D								=		- 4
04234 04235	Circuit Upgrade & Repair, 250-H6	D	-	-	-	-	-	-	-	-	(3)	<u> </u>
	Circuit Upgrade & Repair, 211-H10		-	-	=		-		-	-	40	1
04237	Circuit Upgrade & Repair, 211-H1	D	-	-	-	-	-	=	=	-	64	
04242	DSS Reliability, 585-114H	D	-	-	-	-	-	=	=	-	1,615	202
04245	Distribution Automation Somerville	D	-	-	-	-	-	-	-	-	118	1
04246	Pole replacements Somerville	D	-	-	-	-	-	-	-	-	83	34
04247	Pole restorations Somerville	D	-	-	-	-	-	-	-	-	191	-
04252	Circuit Upgrade & Repair, 470-H3	D	-	-	-	-	-	-	-	-	83	14
	1 RDA Switch Replacment	D	-	-	-	-	-	-	-	-	63	-
04255	Relieve stepdown area 65-H4	D	-	-	-	-	-	-	-	-	81	-
04256	Reconductor Circuit 470-H10	D	-	-	-	-	-	-	-	-	139	-
04257	Distribution Automation Walpole	D	-	-	-	-	-	-	-	-	66	
	Pole replacements Walpole	D	-	-	-	-	-	-	-	-	64	84
	Pole restorations Walpole	D	-	-	=	-	-	-	=	=	42	=
04260	Convert 375kVA of step-down area of 470-H3 to new 470-H12	D	-	-	=	-	-	-	-	-	17	=
	Circuit Upgrade & Repair, 533-H4	D	-	-	-	-	-	-	-	-	40	-
04264	Circuit Upgrade & Repair, 292-H2	D	-	-	-	-	-	-	-	-	46	68
04265	Circuit Upgrade & Repair, 320-H5	D	-	-	-	-	-	-	-	-	86	-

			Dollars III	inousanus								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
04269	Circuit Upgrade & Repair, 391-H11	D	-	-	-	-	-	-	-	-	70	13
04270	Increase Tie Capacity to 17-04	D	-	-	-	-	-	-	-	-	181	75
04271	Relieve circuit 391-H6	D	-	-	-	-	-	-	-	-	92	-
04272	Relieve circuit 391-H9	D	-	-	-	-	-	_	-	-	187	-
04273	Relieve step-down area on circuit 17-H1	D	-	-	-	-	-	-	-	-	14	-
04275	Relieve 148-H1; increase tie capacity to 148-H4	D	-	-	-	-	-	-	-	-	165	-
04277	Relieve circuit 148-06	D	-	-	-	-	-	-	-	-	72	-
04279	Relieve DSS Line 277-1368	D	-	-	-	-	-	-	-	-	137	-
04280	DSS Reliability, 34-1352	D	-	-	-	-	-	-	-	-	614	-
04282	Overhead oil switch repalcements	D	=	-	-	-	-	-	-	ı	44	-
04283	Distribution Automation Waltham	D	-	-	-	-	-	-	-	-	93	19
04284	Pole replacements Waltham	D	=	-	-	-	-	-	-	ı	103	12
04285	Pole restorations Waltham	D	-	-	-	-	-	-	-	-	196	-
04286	URD Rebuild Northgate Gardens	D	-	-	-	-	-	-	-	-	43	11
04287	Blacksmith Dr. & Meadowbrook Rd.	D	_	-	-	-	-	_	-	-	17	=
04289	377-1396H1 - Install 4 Radsec Switches - So. Bedford St.	D	_	_	-	-	_	_	-	_	100	_
04291	P340/43 Parker St Install Radsec Scadamate	D	-	_	_	_	_	_	_	-	21	_
04292	Rolling Ln/Audobon Dr - Circuit 433-07	D	_	_	_	-	-	-	-	-	1	_
04294	Longwood @ Hammond Street Install 3 Phase underground	D	-	_	-	-	_	_	-	-	26	-
04296	P671/1 Charlesbank Terrace 50KVA	D	-	_	-	_	_	_	-	-	19	-
04299	Moody Street Retire 33-15	D	-	_	-	-	-	-	-	-	1	-
	Woburn Street - Install Transformers/Upgrade Secondary	D	_	_	-	_	_	_	-	_	11	-
04301	Phase Balance / Fuse Coordination - Circuit 148-H4	D		_		_		_	_		0	-
04301	Phase Balancing 292-H7 Transfer	D		_	-	-		_	-		6	
	17-12 Phase Balance / Fuse Coordination	D	<u> </u>	-	-	-		-			1	
04303	Phase Balance 292-05	D		-	-	-		-	-		1	<u> </u>
04304	Convert 4kV circuit 430-04	D	-	-	-	-	-	-	-	-	116	86
		D									107	
04309	Convert 4kV circuit 284-03	D	=	-	-	-	-	=	-	-		303 340
04310	Convert 4kV circuit 67-03	D					-	-			304	
04311	Convert 4kV circuit 25N30	D	-	-	-	-	-	-	-	-	163	415
04312	Convert 4kV circuit 321-04		-	-	-	-	-	-	-	-	120	213
04313	Convert 4kV circuit 516-07	D D	=	-	-	-	=	=	-	-	22	553
04314	New Switch at Centre St J-P	_	=	-	-	-	-	-	-	-	86	123
04315	Convert 4kV circuit 284-07	D	-	-	-	-	-	-	-	-	46	351
04316	Convert 4kV circuit 323-04	D	-	-	-	-	-	-	-	-	91	47
04325	New Customer Ridges at Waltham	D	-	-	-	-	-	-	-	-	(30)	87
04548	Perfect Tan - 236 Huntington Ave, Boston Street	D	-	-	-	-	-	-	-	-	1	
04554	Genzyme Corp 500 Soldiers Field Rd, Brighton	D	-	-	-	-	-	-	-	-	(2)	29
	Patriot Partners LLC 141 Spring Street Lex	D	=	-	-	-	-	-	-	-	53	12
04564	New Customer Fuller Village	D	-	-	-	-	-	-	-	-	12	44
04732	Harvard Medical Chiller 200 Longwood Ave, Rox	D	-	-	-	-	-	-	-	-	(196)	468
04745	Chelsea Substation # 488 Station	D	-	-	-	-	-	-	-	-	1,786	227
04754	Rewind Transformer Station 49 Boston	D	-	-	-	-	-	-	-	-	89	12
04758	Rewind Transformer Station 445 Chelsea	D	-	-	-	-	=	=	-	=	119	19
04759	Relieve Stepdown area 65-H1	D	-	-	-	-	-	-	-	-	113	=
04869	Colburn 2004 Mitigation Plan-Dist Station	D	-	-	-	-	-	-	-	=	277	-
04907	Dover Substation Station Work Child	D	-	-	-	-	-	-	-	-	2,485	1,188
04909	New Customer Connect 4 Newbury Street Boston (Garage)	D	-	-	-	-	-	-	-	-	112	(35)
04910	New Customer Connect 50 Dalton Street, Boston (Loews Theatre)	D	-	-	-	-	-	-	-	-	1	23
04911	New Customer Connect 140 Claredon Street, Boston (YWCA)	D	-	-	-	-	-	1	-	ı	(2)	-

			Dollars III	i nousanas)								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
04912	New Customer Connect 4 Newbury Street Boston (Garage) Station	D	-	-	-	-	-	-	-	-	87	76
	New Customer Connect 50 Dalton Street, Boston (Loews Theatre) Station	D	-	-	-	-	-	-	-	-	2	-
04916	Upgrade Arlington Infrastructure Phase 2	D	-	-	-	-	=	-	-	-	386	(59)
04917	Upgrade Arlington Infrastructure Phase 3	D	-	-	-	-	-	-	-	-	148	1,392
	Upgrade Arlington Infrastructure Phase 4	D	-	-	-	-	-	-	-	-	1	0
	Reconductor 492-1N15S	D	=	-	-	-	=	-	-	-	50	113
04922	Reconductor 492-1N22N	D	-	-	-	-	-	-	-	-	57	197
04923	Reconductor 53-1N32E	D	=	-	-	-	=	-	-	-	45	116
	Reconductor 71-1N43	D	-	-	-	-	-	-	-	-	71	82
04925	Temporary Station 11 - 680 Washington St, Boston Street	D	-	-	-	-	-	-	-	-	(34)	18
	Temporary Station 11 - 680 Washington St, Boston Station	D	_	-	-	-	_	-	_	_	23	1
04927	Registry of Motor Vehicles - 630 Washington St, Boston Street	D	_	_	_	-	_	_	_	_	(61)	82
	Registry of Motor Vehicles - 630 Washington St, Boston Station	D	_	_	-	-	_	_	_	_	10	90
	Merrimac Hotel - 105 Merrimac St, Boston Street	D	_	_	-	-	_	_	_	_	(21)	17
	Merrimac Hotel - 105 Merrimac St, Boston Station	D	-	_	_	_		_	-	_	145	0
	Jeweler's Bldg - 333 Washington St, Boston Street	D	_	_	_	-	-	_	_	_	(281)	6
	Emerson College - 144 Boylston St, Boston Street	D	_	_		-	-	_	-	-	(19)	0
	Emerson College - 144 Boylston St, Boston Station	D	-	_	-	-	-	_	-	-	1	124
	Filene's 426 Washington St, Boston Street	D	-	_	-	-	-	_	-	-	66	(112)
	Somerset Club - 42 Beacon St, Boston Street	D						-		-	105	49
	Somerset Club - 42 Beacon St, Boston Station	D	-	-	-	-		-	-	-	187	30
	Boston Harbor Assoc - 500 Atlantic Avenue Street	D	<u> </u>	-	-	-		-		-	5	29
		D									1	196
	Boston Harbor Assoc - 500 Atlantic Avenue Station	D	-	-	-	-	-	-	-	-		190
	Intercontinental Developers - 90 Tremont St, Boston Street	_	=	-	-	-	=	-	-	-	(69)	
	Boston YMC Union - 48 Boylston St, Boston Street	D	=	-	-	-	=	-	-	-	24	
	Colonnade Hotel - 100 Huntington Ave, Boston Street	D D	=	-	-	-	-	-	-	-	(47)	1
	Mass Historical Society - 1154 Boylston St, Boston Street	_	=	-	-	-	=	-	-	=	5	82
	Beacon St LLC - 484 Beacon St, Boston Street	D	=	-	-	-	-	-	-	-	(23)	37
	Copley Plaza Hotel - 138 St James St, Boston Street	D	=	-	-	-	-	-	-	-	1	75
	DSS Reliability Line 329-2219 Station 396 Supply	D	-	-	-	-	-	-	-	-	1,051	3
	Pappas Inc. Dorchester Ave, S-B Street	D	-	-	-	-	-	-	-	-	(3)	4
	Beacon Capital Partners Midway St, S-B	D	=	-	-	-	-	-	-	-	197	108
	MBTA - Shawmut Sta Centre St, DOR	D	=	-	-	-	-	-	-	-	(25)	38
	Cruz Development Harvard Commons, DOR	D	=	-	-	-	-	-	-	-	37	30
	BWSC 475 Albany Street, BOS	D	-	-	-	-	-	-	-	-	(126)	187
	DSS Reliability Line 351-1377	D	-	-	-	-	-	-	-	-	3	476
	Wentworth Institute 555 Huntington Ave, Rox	D	-	-	-	-	-	-	-	-	(124)	67
	Marriot Hotel 33 W Howell Street, South Boston	D	-	-	-	-	-	-	-	-	67	12
	Mattapan Heights 217 - 227 River St, MAT	D	=	-	-	=	=	-	=	-	(101)	255
	Temporary Station 45, 80 Broad St, Boston Street	D	-	-	-	-	=	-	-	-	12	-
	Temporary Station 45, 80 Broad St, Boston Station	D	-	-	-	-	-	-	-	-	8	0
	Bread & Circus, Cambridge St, Boston (Tertiary Network Vault 629) Street	D	-	-	-	-	-	-	-	-	(47)	0
04995	Bread & Circus, Cambridge St, Boston (Tertiary Network Vault 629) Station	D		-				-		-	24	3
04998	Fenway Mixed Use 1375 Boylston St	D	-	-	-	-	-	-	-	-	1	115
	Relieve Circuit 385-H6	D	-	-	-	-		-	=	-	3	51
	Relieve SE Line Group	D	-	-	-	-	=	-	-	-	0	865
05195	Relieve 2-1N26	D	-	-	-	-	-	-	-	-	1	189
	CA/T ENG DISIGN SUP	D	-	-	-	-	-	-	-	-	3	-
	C/T Artery Project MGMT	D	-	-	-	-	-	-	-	-	329	24
	Minor Capital Improvements Hyde Park	D	-	-	-	-	-	-	-	-	57	138

980222 Use for Late Regionsements Ptycle Park			Dollars III	i nousanas)								
99029 Use for Lies Registeranteh Hyde Park	AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
90021 Korgo kellyde Park	99028 Like for Like Replacements Hyde Park	D	-		-	-	-	-	-	-	459	411
90031 Korp Cost Hyste Park		D	-	-	-	-	-	-	-	-	2	39
99040 NOUST Hybe Park D -		D	-	-	-	-	-	-	-	-	79	15
90047 Hyde Park Street Lighting OPS D		D	-	-	-		-	-	-	=		23
99098 New Customer Connect by Contractor Small Services D		D	-	-	-		-	-	-	=	(1)	2
99260 Beso Hardwards-Offware		D	-	-	-	-	-	-	-	-	, ,	356
0.4520 Tertary Network Vasil-65-68-Replace 3 protectors D		D	-	-	-	-	-	-	-	-		6
0.4530 Teriary Network Vaule (01 64 Replace 3 protectors D		D	-	-	-	-	_	-	-	_		-
0.4331 Tentiany Network Vauli-16 106-Replace 3 protections D	04330 Tertiary Network Vault-66145-Replace 3 protectors	D	_	-	_	-	_	_	-	-		-
0.4328 Replace batteries at Station 450, Watthsian			_	_	_	-	_	_	-	-		-
0.4580 Install Transformer temperature and LTC monitoring Station 402 D			_	_	_	-	_	_	-	_		19
0.4361 Install Nitrogen Generators on Transformers, Station 470 D				+		-	_	_	-			2
0.4352 Install Nitrogen Generators on Transformers Station 446												<u>-</u>
0.4368 Install Nitrogen Generators on Transformers, Station 416				+								_
0.4387 Install Nitrogen Generators on Transformers, Station 416 D				+								7
0.4388 Install Nitrogen Generators on Transformers, Station 488												
0.4389 Install Mitrogen Generators on Transformers, Station 488 D											_	
0.4370 Install Nitrogen Generators on Transformers, Station 148 D				-								- ' '
0.4372 Install Nitrogen Generators on Transformers, Station 458 D												
0.4381 Station 12 Install LTC Monitoring				+								4
04382 Station SR Replace 15 DD P Relays D												49
04384 Station 94 Replace Transmitteceviers Tuners D												
04395 Station 448 Replace Transmit/Receivers/Tuners				+								86
04390 Stations 282,320,456,516 Replace Remote Thermal Units												- 4
04586 345 KV Distribution Street Work												63
04863 Replace Station 211 Relays D											95	
04864 Station 3/28 Replace CA Breakers D											- 400	194
03107 Partial Conversion, Station 143 Roxbury D												102
03244 Newton South High School (Waltham)												97
03280 Underground Residential Development - Rainbow Pond Drive D - - - - - - - - -									-		-	187
03285 New Kendall Station - Distribution Substation D - - - - - - - - -									-		-	35
04174 Relieve 311 Line Group D - - - - - - - - -												117
03311 NCUST 23 Blackstone St D - - - - - - - - -												1
04197 Distribution Automation Central D - - - - - - - - -										=	-	644
04249 Circuit Upgrade & Repair, 456-H1 D							-			=	-	(4
04250 Circuit Upgrade & Repair, 146-H2 D -			-	-	-	-	-	-	-	-	-	55
04251 Circuit Upgrad & Repair, 65-H3 D -			-	-	-	-	-	-	-	-	-	115
04261 Relieve Dedham Line Group D			-	-	-	-	-	-	-	-	-	24
04263 Circuit Upgrade & Repair, 450-H4 D -			-	-	-	1	-	-	-	-	-	37
04266 Circuit Upgrade & Repair, 282-H3 D -			-	-	-	•	-	-	-	-	-	12
04379 Station 53 Install LTC Monitoring D -			-	-	-	=	-	=	-	-	-	5
04380 Station 12 Install LTC Monitoring D -			=	-	=	=	-	=	-	=	-	8
04555 Biosquare Building 670 Albany Str D -				-	-	-	-	-	-	-	-	4
04556 Biosquare Building 670 Albany Sta D -				-		-	-	-	-	-	-	0
04563 URD Rebuild Hopping Brook D -				-		_	-		-		-	200
04566 NCUST 404 W-1st Street LLC D - <th< td=""><td></td><td>D</td><td></td><td>-</td><td></td><td></td><td>-</td><td>-</td><td></td><td>-</td><td>-</td><td>183</td></th<>		D		-			-	-		-	-	183
04566 NCUST 404 W-1st Street LLC D - <td< td=""><td></td><td>D</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>366</td></td<>		D	-	-	-	-	-	-	-	-	-	366
		D		-	-	-	-		-		-	0
		D	-	-	-	-	-	-	-	-	-	0
	04569 NCUST 1180 Beacon St LLC	D	-	-	-	-	-	-	-	-	-	86
		D	-	-	-	-	-	-	-	-	-	159

	(Dollars in Thousands)											
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
04575	Sophia Snow Development Roslindale	D	-	-	-	-	-	-	-	-	-	89
04581	Ashland High School	D	-	-	-	-	-	-	-	-	1	154
04584	Institute of Contemporary Arts	D	-	-	-	-	-	-	-	-	-	51
04594	WGBH 1 Guest Street Brighton	D	-	-	-	-	-	-	-	-	-	(6)
04595	Commonwealth Ventures Heath St	D	-	-	-	-	-	-	-	-	-	100
04596	Gateway Terraces 40 Fay St	D	-	-	-	-	-	-	-	-		82
04731	Fenway Mixed 1375 Bolyston Station	D	-	-	-	-	-	-	-	-	-	242
04733	Mass Emergency Mgmt Agency	D	-	-	-	-	-	-	-	-	1	116
	Brickworks Cambridge Station WK	D	-	-	-	-	-	-	-	-	-	77
04907	Dover Substation Street Work Child	D	-	-	-	-	-	-	-	-	1	153
04952	Mass Historical Society-Sta Work	D	-	-	-	-	-	-	-	-	-	20
04955	Charles St Hotel-Street Work	D	-	-	-	-	-	-	-	-	1	(22)
04956	Charles St Hotel-Station Work	D	-	-	-	-	-	-	-	-	-	2
04958	Copley Plaza Hotel-Station Work	D	-	-	-	-	-	-	-	-		199
04963	Boston Housing Authority-Str Work	D	-	-	-	-	-	-	-	-		3
04965	Weston Hotel-Street Work	D	-	-	-	-	-	-	-	-		256
04967	Boston Red Sox-Street Work	D	-	-	-	-	-	-	-	-		112
04970	Brigham & Womens Hospital Str Work	D	-	-	-	-	-	-	-	=	-	168
	Biogen 1 Cambridge Center-Str Work	D	-	-	-	-		-	-	=	-	0
	DSS Reliability Line 59-1371	D	_	_	_	-	-	_	_	-	_	126
	G&J Parcels South Boston	D	-	_	_	-	-	_	_	-	_	542
04996	New DSS Line to Brandeis Cust Sta.	D	_	_	_	-	_	_	_	_	-	6
04997	Long Lead Time Material 2005	D	_	_	_	-	-	_	_	-	-	(5)
04998	Fenway Mixed Use 1375 Boylston St	D	_	_	_	-	_	_	_	_	-	115
05102	Convert Ckt 430-09	D	-	_	-	-	-	-	_	-	-	87
05108	Relieve Overloaded Regulators on 43	D	_	_	-	-	-	-	_	-	-	3
05109	Relieve 2 stepdowns, Ckt 320-H1, Li	D	-	_	_	_		-	_	-	-	3
05103	Replace 4000' of 1/0 AL on 240-H1	D	-	-	-	_	-	-	-	-	-	120
05111	Relieve Circuit 49-08	D	-	-	-	-	-	-	-	-	-	134
05112	Relieve Circuit 45-00 Relieve Circuit 385-H10	D	-	_	-	-		-		<u> </u>	-	263
05115	Circuit 211-03 Reconductoring	D	-	-	-	_		-	-	<u> </u>	-	64
	Circuit 211-48 Reconductoring	D	-	_	-	-		-	-	<u> </u>	-	244
05117	Relieve Ckt 240-H5	D	-	-		-		-		<u> </u>		29
05117	Relieve May, Warre, Pickering Areas	D	<u> </u>	-	-	-		-	<u> </u>	<u> </u>		10
05118	Relieve area off Derby, Tower Road	D	-	-	-	-		-		<u> </u>		10
05120	Relieve area off Lowell Ave Newton	D	<u> </u>	-	-	-		-		<u> </u>	-	3
05120	Relieve OH areas and in Newton and	D	<u> </u>	-	-	-		-		<u> </u>	-	4
05121	Relieve 100 kVA Stepdown on 320-	D	<u> </u>	-	-	-		-		<u>-</u>	-	18
05122	Convert stepdown area on 282-H1 -	D	-	-	-	-		-		-	-	82
05125	Relieve 3-500 kVA stepdowns on 4	D										59
		D	-	-	-	-	-	-	-	=	-	74
05126	Relieve 167 kVA 3-phase Stepdown	D D	-	-	-	-	-	-	=	-	-	114
05127	Relieve Stepdowns on 33-H1 - Adams	D D	-	-	-	-		-	-	-	-	
05128	Relieve three 100 kVA stepdowns o		-	-	-	-		-	-	-	-	103
	Relieve overloaded distribution equ	D	-	-	-	-	-	=	-	=	-	95
	Relieve 100kVA SD on 450-H4 - India	D	-	-	-	-	=	-	-	-	=	12
	Relieve 3-333 kVA Stepdowns on 391	D	-	-	-	-	-	-	-	-	-	4
	Reconductor circuit 292-03	D	-	-	-	-	-	-	-	-	-	81
	Reconductor circuit 292-H3	D	-	-	-	-	-	-	-	-	-	132
	Relieve circuit 381-02 and 4kv	D	-	-	-	-	-	-	-	-	-	188
05135	Relieve two stepdowns on 467-H4 -	D	-	-	-	-	-	-	-	-	-	53

				1								
AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
05136 F	Relieve circuit 316-05 (both Norma	D	-	-	-	-	-	-	_	-	-	246
05137 2	292-H9 Backup to Channel 5	D	-	-	-	-	-	-	-	-	-	158
05138	Circuit 817-02 Reconductoring	D	-	-	-	-	-	-	_	-	-	2
05143 L	Upgrade overloaded secondary mains	D	-	-	-	-	-	-	-	-	-	7
05145 3	375-H4 - Rebuild	D	-	-	-	-	-	-	-	-	-	120
05146 F	Repair and Rebuild 329-H2	D	-	-	-	-	-	-	_	-	-	26
	Repair & Rebuild 320-H1	D	-	-	-	-	-	-	-	-	-	26
	Repair & Rebuild 126-H2	D	-	-	-	-	-	-	_	-	-	104
	Repair & Rebuild 416-H2	D	-	-	-	-	-	-	-	-	-	138
	Relieve DSS line 362-1207H	D	-	-	-	-	-	-	_	-	-	24
05180 F	Relieve 419-92	D	-	-	-	-	-	-	-	-	-	119
05181 F	Relieve Line 43-1489H	D	-	-	-	-	-	-	-	-	-	128
	Circuit 850-1NN2 reconductoring	D	-	-	-	-	-	-	-	-	-	1
	Circuit 828-1ND3 Reconductoring	D	-	-	-	-	-	-	-	-	-	1
	Circuit 10-178 Capacity Upgrade	D	_	-	-	-	_	-	_	-	_	171
05186	Circuit 250-1N81H Reconductoring	D	_	-	-	-	_	-	_	-	_	16
	Relieve DSS Line 26-1302	D	_	_	_	-	_	-	_	_	_	92
	Relieve Station 20 Dedham Line Grou	D	_	_	_	-	_	-	-	_	_	369
	Reconductor DSS Line 143-75H	D	_	_	-	_	_	-	_	_	-	978
	Reconductor DSS Line 14-99XYH	D		_	-	_		_	-	-	-	1
	Relieve 71-1N34	D	-	_	_	-		-	_	_	-	212
	Relieve 71-1N42	D		_	-	_		_	_	_	_	134
	Reconfigue Secondary Network Vault 338	D		_	-	_		_			-	61
	Install New Secondary Network Vault on Newbury St. @	D		_	_	-		_		-		0
	Establish New Secondary Network Vault on Central St.	D		-	-			_		-	-	92
	Reconductor 12-1N61S	D		-	-	-		-	<u>-</u>	-	_	320
	RECONDUCTOR 514-1N366	D	<u> </u>	-	-	-		-	<u> </u>	-	-	205
		D						-				
	URD - Nagog Woods	D	-	-	-	-	-	-	-	-	-	108 173
	Distribution Automation North				-				-		-	
	Padmount oil switch replacement	D	-	-	-	-	-	-	-	-	-	2
	Overhead oil switch replacements	D	-	-	-	-	-	-	-	-	-	18
	Replace UG 4 kV oil switches Mass.	D	-	-	-	-	-	-	-	-	-	114
	Padmount Oil Switch Replacements	D	-	-	-	-	-	-	-	-	-	92
	Overhead oil switch replacements.	D	-	-	-	-	-	-	-	-	-	19
	Replace Transf Type U Bushings	D	-	-	-	-	-	-	-	-	-	56
	Station 329 Replace 115kV OCB's	D	-	-	-	-	-	-	-	-	-	150
	Continue Hazeltine Installation	D	-	-	-	-	-	-	-	-	-	65
	Replace RTU's NSTAR North	D	-	-	-	-	-	-	-	-	-	215
	Station 402 Replace Tranf LTC	D	-	-	-	-	-	-	-	-	-	62
	Station 250 Improvements	D	-	-	-	-	-	-	-	-	-	411
	Station 467 Replace Transf LTC's	D	-	-	-	-	-	-	-	-	-	259
	Station 391 Replace Transf LTC's	D	-	-	-	-	-	-	-	-	-	240
	Lexington Station 320 Station Work	D	-	-	-	-	-	-	-	-	-	601
	Circuit 211-09 Conversion	D	-	-	-	-	-	-	-	-	-	332
	Convert 4kV circuit 36-05	D		-	-	-	-	-		-	-	120
05298 F	Relieve Secondary Network Vault 453 North Street	D	-	-	-	-	-	-	-	-	-	117
05299 I	Increase Capacity Secondary Network Vault 47A & B Stree	D	-	-	-	-	-	-	-	-	-	175
05301	Chelsea 488 Station Work	D	-	-	-	-	-	-	-	-	-	2,613
05302	Chelsea #488 Street Work	D	-	-	-	-	-	-	-	=	-	16
05303 H	Hyde Park #496 Street Work	D	=	-	-	-	-	=	-	-	-	161

(Dollars in Thousands)											
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
05304 Dewar Street #483 Street Work	D	-	-	-	-	-	-	-	-	-	168
05307 Stearns Hill rebuild Phase 2	D	-	-	-	=	-	-	-	-	-	294
05310 Distribution Automation Somerville	D	-	-	-	-	-	-	-		-	41
05311 Distribution Automation - Framingham	D	-	_	-	-	_	-	-	-	_	0
05312 Distribution Automation Walpole	D	-	-	-	-	-	-	-		-	18
05327 Increase Capacity Secondary Network Vault 47 A&B	D	_	_	-	_	_	_	_	_	_	140
05329 Pole Reinforcements BECo	D	-	_	-	-	_	-	-	-	_	48
05330 Pole Reinforcements CAMB	D	_	_	_	-	_	_	_	_	_	1
05334 Avalon Bay	D	_	-	_	-	_	_	_	-	_	9
05335 Rose Associate Needham	D	_	_	_	-	_	_	_	-	_	281
05337 Boston Properties Secondary Network Vault 347	D	-	_	-	_	_	_	_	_	_	50
05340 Waterworks Park - Relocation	D	_	_	-	-	_	_	_	_	_	(20)
05344 Brook House Pond Ave, Brookline	D	-	-	-	-	_	-	-	_	_	22
05345 Relieve Secondary Network Vault 453 North Street Statio	D	-	_	_	-	_	-	_	_	-	42
05348 Distribution Automation Hardware-No	D		_			_		_	-	-	10
05354 Distribution Automation Hardware-No 05353 Boston College 417 More Rd, Brighto	D		-		<u> </u>	_	<u> </u>	-	-	-	10
05354 Waterworks Park - Permenant Service	D		_			_		_	-	-	11
05354 Waterworks Fair Fermenant Service 05355 Boston Prop Feeders Staition Work	D		_			_		_	-	-	9
05356 Natick Mall Speen Street	D					-		-		-	<u></u>
05350 Natick Mail Speen Street 05362 URD Cable Cure East Street Stoneham	D		-	=	-				-		29
	D	=	-	=		-		-	=	-	
	D	-	-	=	-	-	-	-	·	-	16
05364 Liberty Mutual Stuart Street Statio		-	-	-	-	-	=	-	=	-	108
05366 Southhamption Car Wash Street Work	D D	-	-	-	-	-	=	-	·	-	35
05377 80 Grady Ct Maverick Gardens		=	-	-	•	-	-	=	-	-	(7)
05380 Bicon Dental Implants, Inc	D	-	-	-	-	-	-	-	=	-	(187)
05381 Middllesex Ave Assembly Square LLC	D	-	-	-	-	-	-	-	-	-	96
05383 Prince Street Condos Street Work	D	-	-	-	=	-	-	-	-	-	47
05384 Prince Street Condos Station Work	D	=	-	-	-	-	-	-	=	-	124
05385 Stop & Shop	D	-	-	-	-	-	-	-	-	-	51
05386 DSS Line 408-1433 Boston Scientific	D	-	-	-	=	-	-	-	-	-	(202)
05387 Crosby Drive Act of Public Authority	D	-	-	-	-	-	-	-	-	-	134
05390 O'Callaghan Hotel Street Work	D	-	-	-	-	-	-	-	-	-	(2)
05393 Suffolk Construction Station Work	D	-	-	-	-	-	-	-		-	150
05394 Liberty Tree Station Work	D	-	-	-	-	-	-	-		-	249
05396 Canterbury Hill, Acton	D	-	-	-	•	-	-	-	•	-	56
05400 Install New Secondary Network Vault on Newbury Street	D	-	-	-	-	-	-	-	1	-	3
05554 Reconductor Ckt 33-16	D	-	-	-	-	-	-	-	-	-	168
05557 Buckskin Drive, Wayland	D	-	-	-	=	-	-	-	-	-	26
05559 NCUST 761 Harrison Avenue, Rox	D	-	-	-	-	-	-	-	-	-	112
05569 NEW 277-03 WASHINGTON/WATERTOWN ST	D	-	-	-	=	-	-	-	-	-	178
05571 775 TRAPELO RD. PULTE HOMES, WELLIN	D	-	-	-	1	-	-	-	ı	1	(1)
05579 Arthur Sakellaris 8-10 Drydock Ave	D	-	-	-	-	-	-	-	-	-	0
05592 CSPEC 1 Post Office Square in Boston	D	-	-			-		-	-	-	(11)
05594 CSPEC 1010 Waltham St (Brookhaven)	D	-	-	-	1	-	-	-	ı	-	2
05768 Establish New Secondary Network Vault on Central St Sta	D	-	-	=	-	-	=	-		=	71
06219 Replace Transformers in Tertiary Network Vault 6186	D	-	-	-	-	-	-	-	=	-	0
06220 Replace Transformers in Tertiary Network Vault 6235	D	-	-	-	-	-	-	-	-	-	0
06233 Relieve Network Feeder 2-1N15	D	-	-	-	-	-	-	-	-	-	3
06234 Relieve Network Feeder 2-1N41	D	-	-	-	-	-	-	-	-	-	1
06235 Relieve Network Feeder 71-1N23	D	-	-	-	-	-	-	-	-	-	2
!			1					1			

Boston Edison 2005 ASQR Capital Spending

Transmission		(Dollars in Thousands)											
Transmission:	AUTH	DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Transmission Tr	06236	Relieve Network Feeder 514-1N22N	D	-	-	-	-	-	-	-	-	-	1
Transmission:										-			
0,0000 Install Shurt Reactor at Whothan & K Shoet		Total Distribution		\$ 81,647	\$ 70,691	\$ 66,167	\$ 66,031	\$ 66,680	\$ 91,900	\$ 134,326	\$ 127,222	\$ 125,010	100,408
0,0000 Install Shurt Reactor at Whothan & K Shoet													
0,0000 Install Shurt Reactor at Whothan & K Shoet													
08886 Station 468 Spation 468 Spation 468 Spation 486 Spation													
0.0067 ANP Station 46s Ubgrade / Belingham			•	\$ -	\$ -	\$ -	\$ - 5	\$ 35			· ·	\$ -	\$ -
ORDING Stitle Edgar Interconnection				-	-	-	-			32	8,304	-	-
0.00622 Enhance Downtown Relay 7				-	-	-	-	27		-		-	=
ORDER_				-	-	-	-	-			329		-
0.0029 Reconductor Line 282-697 Station 342 Suddary is Station 282 Waitham			'	-	-	-	-	-					521
01399 Station 466 Relay Upgrade T			'	-	-	-	-	-				-	-
O1919 Engineering Spacial Blackstone #1 Generator T				-	-	-	-	-		201			-
0.0101 Replace Autornansformer at Famingham Station Part 2				-	-	-	-	-		-	71	6	(160)
0.01022 Replace Autotransformer at Wappole Station				-	-	-	-	-					=
0.0000 Remote Thermal Units Upgrades Stations 446 - Meedway, 211 - Wobum			•	-	-	-	-	-			(115)	-	=
01607 Static Wire Work, L320-507 - Waitham & Lexington T			· · · · · · · · · · · · · · · · · · ·	-	-	-	-	-		2,674	-	-	=
01660 Structure Replacement, 11 St Vi line - RW 8-3 - Lexington & Burlington T				-	-	-	-	-			-	-	-
01620 ANP Blackstone 446 Worcester				-	-	-	-	-			-	-	=
Ott88 Replace Transformer 230A			'	-	-	-	-	-		62	-	-	-
Orlean	01620			-	-	-	-	-			-	-	-
84321 Trans - Develop Station T	01686		T	-	-	-	-	-	67		-	0	-
Replace 115KV BK St				-	-	-	-	-	14	710	2	7	-
88193 Rebuild 240-507/8 T - 2,239 (2) 6	84321		T	-	-	-	-	0	-	-	-	-	-
88194 Medway-Framingham 115KV Tran	89112		T	-	-	3	-	-	-	-	-	-	-
91141 Retire Obsolete Equipment - Edgar Station 75 T 585 46 100 0 - - - - - - - -	89193	Rebuild 240-507/8	T	-	2,239	(2)	6	-	-	-	-	-	-
92149 Reinforce Line 240-507&8 Station T 3 - - - - - - - - -	89194	Medway-Framingham 115KV Tran	Т	-	85	0	(61)	-	-	-	1	-	ı
93179 Upgrade Lines 201-501 T	91141	Retire Obsolete Equipment - Edgar Station 75	T	585	46	100	0	-	-	-	-	-	-
93210 Install Backflow Prevention			•	3	-		-	-	-	_	-	-	ı
94221 Various Station Replace HCR Relay	93179	Upgrade Lines 201-501	T	-	1	(1)	-	-	-	-	-	-	-
94319 Replace PLC W/ FOC			T	2	-	-	(1)	-	-	-	-	-	-
95189 Install Transformer Reactors				97			-	-	-	-	-	-	-
95226 Auto Transformer T - 15 -	94319		Т	-	735	292	13	-	-	_	-	-	ı
9527 Replace 115KV Line HOB	95169	Install Transformer Reactors	Т	-	(255)	4	0	-	-	-	=	-	ı
Second S	95226	Auto Transformer	Т	-	15	-	-	-	-	-	=	-	ı
95349 Spare Autotransformer T - 5 - <td>95227</td> <td>Replace 115KV Line HOB</td> <td>Т</td> <td>-</td> <td>209</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>=</td> <td>-</td> <td>ı</td>	95227	Replace 115KV Line HOB	Т	-	209	0	-	-	-	-	=	-	ı
95367 Station 126 New 115.14K 96166 On Line monitoring 971	95232	Station 478 Pru FOC	Т	-	16	6	-	-	-	_	-	-	ı
96166 On Line monitoring T - 93 100 - <td>95349</td> <td>Spare Autotransformer</td> <td>Т</td> <td>-</td> <td>5</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>ı</td>	95349	Spare Autotransformer	Т	-	5		-	-	-	_	-	-	ı
96178 GSU Dissolved Gas T - 0	95367	Station 126 New 115.14K	Т	-	211	2,734	28	-	-	_	-	-	-
96190 Transmission System Line Work T - 0 -	96166	On Line monitoring	Т	-	93	100	-	-	-	-	-	-	=
96243 Implement RCM (T) T - 19 -			T	-	0	-	-	-	-		-	-	-
96243 Implement RCM (T) T - 19 -	96190	Transmission System Line Work	T	-	0	-	-	-	-	-	-	-	-
96261 Station 274 Replace Cable T - 25 - <			T	-	19	-	-	-	-	-	-	-	-
96369 Milford Trans 479 RE T 205 4 - </td <td>96261</td> <td>Station 274 Replace Cable</td> <td>T</td> <td></td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>=</td>	96261	Station 274 Replace Cable	T			-	-	-	-	-	-	-	=
96370 Milford Trans 479 / Station Work T - 289 2,009 87 2 (1) - - - - 97110 Station 385 - Capacitor Bank 115 T - 249 40 -			T	205	4	-	-	-	-	-	-	-	-
97110 Station 385 - Capacitor Bank 115 T - 249 40 -			Т		289	2,009	87	2	(1)	-	-	-	-
97137 Station 509 - Replace Autotransformer T - 101 2,299 130 - - - - - - - 97138 Enhance 115kv Relay T - 1,069 (18) - - - - - - - -			Т	-		40	-	-			-	-	-
97138 Enhance 115kv Relay T - 1,069 (18)			Т	-			130	-	-	-	-	-	-
			Т	-	1,069		-	-	-	-	-	-	-
			Т	-				-	-	-	-	-	-

99191 Transmission Station Line of Business T - - - 272 84 173 404 247 374 884 99196 Engineering Transmission Line T - - - - - - 567 8 38 99384 Transmission Lines T - - - - - - - - - - - -		(1	Jonais III	i iiousaiius)								
Page	AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
1971 Shater 2014 Replace CDR 3	97190 Transmission System Line Work	T	-	250	2		-	-	-	1	-	_
197194 Cust Div Buildings	97191 Transmission System Station Work	T	-	56	47	5	-	-	-	-	-	_
9773 Battern 200 Replaces COS 3	97194 Cust Div Buildings	T	-	102		0	14	-	-	-	-	-
97236 Backup to Quinty T	97213 Station 240 Replace OCB 3	T	-		33	-	-	-	-	-	-	_
97780 Replace Relays Solation 514T		T	-			1	-	-	-	-	-	_
9730 Carbodic Protection 1702-222 T		Т	-	57	75	2	-	-	-	-	-	
Replice Beakers		Т	-				-	-	-	-	-	
Section Replace LOAR Relay	98110 Replace Breakers	Т	-	-		346	16	(2)	(1)	73	-	
Selfor S		T	-	-		0	-	_		-	-	-
98113 Station 250 Montaining	98112 Station 280 Monitoring	T	-	-	126	3	12	-	-	-	-	-
88114 Digital Translein Recorder		Т	-	-				-	-	-	-	
98116 Install Oil Containment		Т	-	-			-	-	-	-	-	
98123 Upgrade System Monitoring		T	-	_			(10)	-	11	400	-	_
98125 Enhance 115k Relay		T	-	-			· /	-			-	
98157 Replace Breaker 102 - Station 466		T		_			1	_	_		-	
9813 Replace Breaker 102 - Station 446		T						-	_	-	-	
98158 Relaying Station T		·						454		_	_	
98190 Transmission System Line Work	1	-			-	-	_					
98191 Transmission System Station Work	, ,	- ·							` /			
98195 Preliminary Engineering Transmission		- '						<u>-</u>				
99159 Preliminary Engineering Transmission		T										
98262 Edgar Station							-					
98717 Station Breaker Transformer 99718 Station Breaker Transformer 99719 Station 21 250 T												
99110 Station 211 250 T												
99114 2nd Mysite to King							-					
99115 Station 514 TR 345B T						,						
99116 New 345kv Line 324	, ,	I T					,					
99117 115KV Shurt Reactor												
99120 ANP-Beakers at 446 T		· '							, ,			
99121 ANP-Reconductor Line 336 T - - 54 181 161 - - - - - - - - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1											
99122 ANP Reconductor 336 & New Tap		·							` ,			
99123 NEP 115kV Backup	111 1111 1111	I					_					
99125 Upgrade 240-510, Station 110, 148 T	· ·	1 T							, ,			
99126 New 345kv Line 324		I										
99127 NEP 115kv Backup												
99128 Upgrade 240-510, Lines Station 240 to 1 99129 Upgrade 148-522, Station 447 to 148 99130 Upgrade Line 148-522, Station 447 to 148 99130 Upgrade Line 148-522, Station 447 to 148 99130 Upgrade Line 148-522, Station 447 to 148 99130 Sithe Mystic Interconnection- Lines 99130 Sithe Mystic Interconnection- Lines 99136 Sithe Mystic Interconnection - Station 99136 Sithe Mystic Interconnection - Station 99137 Sithe Mystic Interconnection - Station 99138 Sithe Mystic Interconnection - Station 99139 Transmission Line Line of Business 99190 Transmission Line Line of Business 99190 Transmission Station Line of Business 99190 Engineering Transmission Station Line of Business 99196 Engineering Transmission Line 99197 Transmission Line Station Line of Business 99198 Transmission Station Line of Business 99199 Engineering Transmission Line 99190 Transmission Line Station Line Station Line of Business 99190 Transmission Station Line Station		· ·					,					
99129 Upgrade 148-522, Station 447 to 148	,											
99130 Upgrade Line 148-522, Sta. Worl T - - - - - 872 53 24 -												
99135 Sithe Mystic Interconnection - Lines T - - - - 0 3 8,226 18,897 2,011 1,422 99136 Sithe Mystic Interconnection - Station T - - - 1 420 12,428 12 - - Interconnection Agreement T -	10 /	<u> </u>					,					
99136 Sithe Mystic Interconnection - Station T -		<u> </u>										
Interconnection Agreement		<u>T</u>					-					
99190 Transmission Line Line of Business T - - - 84 393 265 770 2 637 670 99191 Transmission Station Line of Business T - - - 272 84 173 404 247 374 884 99196 Engineering Transmission Line T - - - - - - - 567 8 38 99384 Transmission Lines T - <td></td>												
99191 Transmission Station Line of Business T - - - 272 84 173 404 247 374 884 99196 Engineering Transmission Line T - - - - - - - - 567 8 38 99384 Transmission Lines T -		·					-					
99196 Engineering Transmission Line T - - - - - - 567 8 38 99384 Transmission Lines T -		·			-							670
99384 Transmission Lines T -			-	-	-	272	84	173				884
01619 Sherborn Station Breaker Replacement T - - - - 175 - - 160 01682 Upgrade 342-507 Line T -		T	-	-	-	-	-			567	8	39
01682 Upgrade 342-507 Line T - - - - - 40 1,510 1 - 01683 Upgrade 240-601 Line T - - - - - - - -		T	-	-	-	-	-	13		-	-	
01683 Upgrade 240-601 Line T 218		T	-	-	-	-	-	-				16
		T	-	-	-	-	-	-		1,510	1	-
01684 Upgrade Line 433-507 T 2 8	01683 Upgrade 240-601 Line	T	-	-	-	-	-	-			-	-
	01684 Upgrade Line 433-507	T		-	-	-	-	-	2	8		_

		1000		1000	1000	2222	2221	2222	2222	2221	2225
AUTH DESC	Category	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
01685 Upgrade Line 282-602	T	-	-	-	-	-	-	649	(143)	-	-
02262 Upgrade Relays Line 319	T	-	-	-	-	-	-	110	196	0	
02264 Woburn Industrialplex	T	-	-	-	-	-	-	-	333	313	19
02266 DTR Station #329	T	-	-	-	-	-	-	108	-	10	-
02267 Station 110 Replace Circuit Switches 115kv	Т	-	-	-	-	-	-	194	4,561	-	-
02318 Relocate Lines 250-516 & 517 MBTA	Т	-	-	-	-	-	-	-	28	-	-
03167 Dewar-Quincy Load Transfer	Т	-	-	-	-	-	-	-	179	-	-
03168 Upgrade 342, 433 breakers	T	=	-	=	-	-	=	-	605	(22)	=
03184 Replace ATB circuit breakers due to wear, tear and obsolescence at Station 211 Woburn	T	=	-	=	-	-	=	-	1,521	-	-
03274 Upgrade 385-510/511 (Kingston St-High St-K Street 115 kV lines)	T	-	-	-	-	-	-	-	559	-	-
03275 Various replace 115kV OCB	Т	-	-	-	-	-	-	-	4	-	-
03276 12 disconnect switches and Installation	Т	-	-	-	-	-	-	-	122	25	-
03277 One 345 KV breakers (System Spares)	Т	-	-	-	-	-	-	-	58	-	-
03287 4 115 KV circuit switchers	Т	=	-	=	-	-	=	-	17	83	6
03362 Purchase 345Kv Breakers	Т	=	-	-	-	-	=	-	54	6	-
00618 Sithe Edgar Interconnection	Т	=	-	-	-	-	=	8,904	-	-	-
01681 Mirant Kendall	T	-	-	-	-	-	-	1,158	21	(623)	-
02137 New K Street Substation Transmission Work	Т	-	-	-	-	-	-	-	-	835	-
03353 Colburn Street Substation (Transmission Line) Child	Т	-	-	_	-	-	-	-	-	604	1,505
03354 Colburn Street Substation (Transmission Station) Child	Т	-	-	-	-	-	-	-	-	43	1,343
04394 Relocate 433-507	Т	-	-	-	-	-	-	-	-	158	375
04550 Station 146, Replace OCB breakers 3 & 5	Т	_	_	_	_	-	_	-	-	215	_
04734 North Cambridge Station 509 Install 345Kv Reactors	Ť	_	_	_	_	-	_	-	-	398	2,471
04747 Replace Sections on Line 329-530	T	_	_	_	_	_	_	_	-	921	67
04850 Replace 2 OCB's at Station 533	Ť	_	_	_	-	_	-	-	-	180	-
04851 Replace 2 OCB's at Station 391	T	_	_	_	_	_	-	_	-	219	_
04854 Replace last ATB Breaker at Station 211	Ť	_	_	_	-	-	-	-	-	536	_
04855 Replace LWER Breaker at Station 478	Ť	_	_	-	_	_	-	_	-	10	144
04856 STT Sta#330 345kV Trans Line Ph1 Child	<u>'</u>	_	_	-	-	_	-	_	-	2,451	28,772
04857 S-B Sta#385T 345kV Trans Line Ph1 Child	Ť	-	-	-	_	-	-	_	-	84	4,992
04859 H-P Sta#496 345kV Trans Line Ph1 Child	Ť	-	_		-	_	-	_	-	31	2,561
04860 345kV Expansion	T T		_		_	_		_	-	7,278	77,939
04861 Land Purchases 345kV Trans Line Ph1 Child	T		_	<u> </u>	_	_		_	-	674	5,622
04862 447-508/509 Static Wire	T T	-	-		_	-		_	-	39	- 3,022
04903 HBK Sta#478 345kV Trans Line Ph1 Child	- '- -			<u>-</u>		-	<u> </u>	-		0	6
04904 WLP Sta#447 345kV Trans Line Ph1 Child	- I	<u> </u>	-	<u> </u>	-	-	<u> </u>	-	-	1	6
04904 WEF Starr447 345KV Halls Ellie FITT Child 04986 High Speed Relaying 345KV Line 319	<u> </u>	<u> </u>	-	<u> </u>	-	_	<u> </u>	-	-	106	47
	<u> </u>									106	
03166 Station 447 Independent Pole Tripping	'	-	-	-	-	-	-	-	-	-	24
04395 Stations 329 & 385 Anode Beds	T	-	-	-	-	-	-	-	-	-	0
04399 Sta 478 Replace 115kV OCB	T	-	-	-	-	-	-	-	-	-	157
04862 Line 447-809 Static Wire	T	-	-	-	-	-	-	-	-	-	20
05223 Upgrade Mystic Chelsea 115kV Line	T	=	-	-	-	-	-	-	-	-	1,700
05230 Cathodic Protection Improvements	<u> </u>	-	-	-	-	-	-	-	-	-	33
05231 Pump Plant Controls	T	-	-	-	-	-	-	-	-	-	59
05232 Pump Plant Infrastructure	<u></u>	-	-	-	-	-	-	-	-	-	137
05233 Line 338 Capital Replacement	Т	=	-	=	-	-	=	-	=	-	666
05234 Line 389 Capital Replacement	Т	=	-	=	-	-	-	-	-	-	512
05235 Line 240-510 Capital Replacement	Т	-	-	-	-	-	-	-	-	-	466
05236 Line 319 Capital Replacement	T	-	-	-	-	-	-	-	-	-	303
05258 Station 478 Replace 345kV & 115kV T	T	-	-	-	-	-	-	-	-	-	4

	Boston Edison																
		200	05 A	SQR Ca	pita	al Spend	gnik	9									
	(Dollars in Thousands)																
AUTH	DESC	Category		1996		1997		1998		1999		2000	2001	2002	2003	2004	2005
05259	Station 146 Replace 115kV OCB's	T		-		-		-		-		-	-	-	-	-	1
05576	Lexington 345kV reactor	Т		-		-		-		-		-	-	-	-	-	266
	Total Transmission \$ 892 \\$ 5,984 \\$ 13,468 \\$ 13,312 \\$ 27,284 \\$ 18,757 \\$ 45,504 \\$ 38,573 \\$ 17,974 \\$ 134,670																
Operations] S:																
	Meters		\$	521	\$	4,414	\$	1,325	\$	10,871	\$	1,828	\$ 2,172	\$ 6,364	\$ 6,842	\$ 19,132 \$	13,456
	Overheads		\$	10,821	\$	10,248	\$	11,945	\$	16,118	\$	12,595	\$ 19,427	\$ 30,196	\$ 28,378	\$ 27,741 \$	32,213
	Total Capital Spending		\$	93,881	\$	91,337	\$	92,905	\$	106,332	\$	108,387	\$ 132,256	\$ 216,390	\$ 201,015	\$ 189,857 \$	280,747

Boston Edison Company

Spare Component Acquisition & Inventory Policy and Practice

Year Ending December 31, 2005



Appendix 9

Boston Edison Company Spare Parts Policy and Practices

Boston Edison Company ("Boston Edison" or the "Company") monitors and manages critical items for its electric transmission system using a state—of-the—art computerized and integrated work management and inventory-control/procurement system. This system was installed in 1999-2000, and provides for identification of common items needed for Boston Edison, as well as the operating systems of all of the NSTAR Companies (i.e., Boston Edison, Cambridge Electric Light Company, Commonwealth Electric Company and NSTAR Gas Company) (together the "NSTAR Companies"). In addition, Boston Edison's system inventories have been decentralized to bring materials closer to their point of use, decreasing spare-part requirements. Spare part requirements are periodically reviewed and updated by the Company to create efficiencies among and between the NSTAR Companies.

I. Electric Distribution System Spare Parts

The components of Boston Edison's distribution system are, for the most part, lower-cost and high-use items. Inventory levels are based on predicted numbers of: (1) replacements due to failure; (2) replacements due to wear, tear and obsolescence; and (3) new construction needs. Higher-cost, less-frequent turnover items, such as pad-mount switches, transformers, tapping and stopping equipment and regulators, are inventoried based on the same requirements.

In recent years, The NSTAR Companies have formed alliances with vendors of high-use items such as gas parts, distribution transformers, cable and overhead hardware. These alliances have proven very effective in assuring a continuous flow of high-quality components at a controlled price, as well as giving the NSTAR Companies priority treatment for emergency deliveries to cover natural disasters, which have the potential to drastically impact the system. In 2003 NSTAR reevaluated their cable alliance, distribution transformer alliance and poleline hardware alliance securing service commitments and stable pricing for the next 2-3 years. Wood Poles are being evaluated in 2005.

II. Electric Transmission and Distribution Substation & Gas Take Station Spare Parts

Components at the substation level are much higher in cost, but much lower in number. The turnover of these components and the parts associated with them is also very low. Historically, there was a substantial inventory of substation spare parts, with very high carrying costs. Based on alternative methods for obtaining replacement parts, spare parts inventories were reviewed by Boston Edison, and as a result, substantially reduced.

Boston Edison has identified the following alternatives to maintaining a substantial inventory of spare parts:

- o Establishing relationships with suppliers who maintain inventories of spare parts that can be obtained by Boston Edison on very short notice, as described above.
- O Utilizing equipment on the Boston Edison system, which has been recently replaced or upgraded, for use as spare parts. Because of the large number of Boston Edison's ongoing projects, this option would provide a fairly continuous supply of spare parts.
- o Maintaining relationships with utilities that utilize similar equipment.
- o Employing the use of rebuilding kits.
- o Promoting redundancy in design and parallel feeds throughout the Boston Edison system to reduce the need for major component inventories.

For large critical components, dedicated spares are kept and replaced as used by Boston Edison. Specifically, the Company maintains a mobile transformer and mobile substations that can be placed in service in a very short time for emergency replacement of a major component.

Boston Edison Company

Poor Performing Circuits

Year Ending December 31, 2005



Appendix 10

2005 - Poor Performing Circuits

Boston Edi	son Company				
Circuit ID	Location	Reason(s) for performance	Number of years performed poorly	Steps taken to improve performance	2005 SAIDI
3316	Waltham	Feeder section problems	2	Reconductored the feeder section, were the problems occurred. The overhead section will have an infrared survey performed in 2006.	883.79
4309	Dorchester, Milton	Tree / Limbs on primary wires	2	The circuit will have an infrared survey performed in 2006.	369.27
5207	Roxbury	UG feeder section problems	2	We are installing a Trident VFI switch which improve the circuit switching capabilities.	361.82
139-08	Dorchester, South Boston	Transformer failure & UG feeder failure	2	Installing a trident VFI switch on the circuit.	361.14
240-H5	Dover, Natick, Framingham	Weather (Lightning) & Tree / Limbs on primary wires	4	There is capital project to remove load from the circuit which improve it's performances. The circuit will also have an infrared survey performed in 2006.	762.65
250-H2	Charlestown	UG feeder section problems	2	The circuit will have an infrared survey performed in 2006.	407.31
269-1320H1	Canton	Tree / Limbs on primary wires, Weather & Regulator Failure	2	The circuit is scheduled to be tree trimmed in the first part of 2006. This circuit will also have an infrared survey performed in 2006.	348.16
278-03	Wayland, Framingham	Weather (Lightning)	2	The circuit will have an infrared survey performed in 2006.	627.08
282-H1	Lincoln, Weston	The circuit has had many problems due to tree issues. URD cable faults	3	Tree trimmed in late fall 2005, the circuit will have an infrared survey performed in 2006.	490.27

2005 – Poor Performing Circuits

Roston Edis	son Company				
Circuit ID	Location	Reason(s) for performance	Number of years performed poorly	Steps taken to improve performance	2005 SAIDI
282-H3	Waltham, Weston	Tree / Limbs on primary wires & Weather (Snow / Ice)	2	The circuit was tree trimmed in late 2005. The circuit will have an infrared survey performed in 2006.	665.52
293-04	South Boston	Sta. transformer & UG feeder section problem	4	The circuit is being converted over to a new 13.8 system in 2006 and 2007.	477.49
311-05	Dorchester	UG feeder section problem	2	The circuit will have an infrared survey performed in 2006.	420.60
320-H1	Lincoln, Waltham	Tree / Limbs on primary wires & URD direct buried cable	2	The URD area in the Kettle Hole development is being reconductored which improve the reliability of the area. The circuit will also have an infrareds survey performed in 2006.	735.87
323-05	South Boston	UG feeder section problem	2	The circuit had a manhole patrol.	706.14
375-H4	Woburn	Hit by auto & Weather	2	The ROW is being rebuilt in 2006. The circuit will have an infrared survey performed in 2006	81.77
391-H7	Burlington	Tree / Limbs on primary wires & Weather	2	The circuit is scheduled to be tree trimmed in the first part of 2006. The circuit will also have an infrared survey performed in 2006.	322.46
416-H7	Sudbury	Tree / Limbs on primary wires	3	The circuit is having an infrared survey performed on the circuit in 2006.	373.55
430-04	South Boston	UG feeder section problem & UG switch failure	3	Part of the circuit was converted over to a 13.8 system.	878.45

2005 – Poor Performing Circuits

Boston Edison Company										
Circuit ID	Location	Reason(s) for performance	Number of years performed poorly	Steps taken to improve performance	2005 SAIDI					
455-H1	Framingham	Cross arm broken primary wires down & Tree / Limbs on primary wires	2	The circuit is schedule to be tree trimmed in the first part of 2006. The circuit will also have an infrared survey performed in 2006.	198.06					
466-1481H1	Dorchester	UG feeder section problem & Equipment problem (Switch)	2		83.58					
512-1399H1	Carlisle	Tree / Limbs on primary wires & UG feeder section problem	2		92.63					
65-1325H3	Hopkinton	Faulted regulator	2		1152.98					
65-H1	Millis, Medway, Norfolk	Weather (Lightning) & Tree / Limbs on primary wires	2		987.06					

Boston Edison Company

Staffing Levels

Year Ending December 31, 2005



Appendix 11

1997	THR	OUG	H 2	005

STAFFING

	1997	1998	1999	2000	2001	2002	2003	2004	2005
Commonwealth Gas Compar		1990	1999	2000	2001	2002	2003	2004	2005
Union	392	412	401						
Management	172	200	176						
NSTAR Electric & Gas									
Union				2,264	2,272	2,324	2,232	2,128	2067
Management				919	914	889	855	847	870

Note 1: From 1998 to 1999 and 1999 to 2000 the Company offered a voluntary separation program offered as part of the merger with Commonwealth Energy System. During the period from August 1999 through August 2000, 635 employees from the Boston Edison and Commonwealth Energy System elected to participate in this program and exited the merged company. This was a program that was negotiated with the union leadership. Under the program, approximately 300 union and 335 management employees terminated their employment.

Note 2: With the merger of BEC Energy and Commonwealth Energy System into NSTAR Electric and Gas and resulting consolidation of operations, employees are no longer catagorized by or assigned to positions on the basis of the pre-merger operating company designations.

Boston Edison Company 2006

Performance Benchmarks



Appendix 12

Boston Edison Company 2006 Performance Benchmarks

<u>Year</u>	Percent Calls <u>Answered</u>	Percent Service <u>Appt. Met</u>	Percent On-Cycle <u>Meter Reads</u>	Lost Work Day <u>Accidents</u>	10 Year as Filed <u>SAIDI</u>	10 Year as Filed <u>SAIFI</u>	Consumer Division <u>Cases</u>	Billing <u>Adjustments</u>
1992				1.16			1.803	177.26
1993				0.87			1.742	282.04
1994				1.10			1.608	304.48
1995				1.37			1.478	342.21
1996			84.92%	0.98	119.40	1.070	1.523	169.44
1997			90.23%	0.77	100.40	1.070	1.776	255.71
1998			92.46%	0.50	86.31	0.896	1.097	266.33
1999			94.73%	0.73	101.21	1.060	1.087	206.88
2000			94.81%	0.96	100.33	1.171	0.996	123.80
2001	63.10%		83.49%	0.76	146.77	1.330	2.292	114.75
2002	80.50%	88.30%	92.92%		83.38	1.117		
2003	80.60%	86.36%	93.91%		67.44	0.961		
2004	78.80%	92.01%	96.53%		65.38	1.010		
2005	78.80%	93.17%	96.60%		103.14	0.924		
Mean	80.00%	89.96%	92.06%	0.92	97.38	1.061	1.540	224.29
Std. Dev.	7.46%	3.17%	4.56%	0.25	24.10	0.128	0.400	77.49
Max. Penalty	65.07%	83.61%	82.93%	1.42	145.58	1.316	2.339	379.28
25% Penalty	72.54%	86.79%	87.50%	1.17	121.48	1.188	1.940	301.78
25% Offset	87.46%	93.13%	96.62%	0.67	73.27	0.933	1.141	146.80
Max. Offset	94.93%	96.31%	101.19%	0.42	49.17	0.806	0.741	69.30